

Osteoarthritis in adults by selected demographic characteristics, United States, 1960-1962 - an analysis of differentials by family income, education, marital status, usual activity status, occupation, and industry.

U.S. Dept. of Health, Education, and Welfare, Public Health Service - Osteoarthritis in adults by selected demographic characteristics, United States, 1960

Description: -



United States -- Statistics, Medical.

Rheumatoid arthritis. Osteoarthritis in adults by selected demographic characteristics, United States, 1960-1962 - an analysis of differentials by family income, education, marital status, usual activity status, occupation, and industry.

no. 1000, ser. 11, no. 20

Public Health Service publication

no. 20

National Center for Health Statistics. Vital and health statistics. Series 11: Data from the National Health Survey, Osteoarthritis in adults by selected demographic characteristics, United States, 1960-1962 - an analysis of differentials by family income, education, marital status, usual activity status, occupation, and industry.

Notes: Bibliography: p. 7.

This edition was published in 1966



Filesize: 5.53 MB

Tags: #national #medical #expenditure: #Topics #by #Science.gov

results demographic characteristics: Topics by Science.gov

Multivariate regression analyses were used to determine how veteran status and disability are associated with employment. Absolute out-of-pocket expenditure nonetheless increases with income. However, longevity is a very complex trait due to the complicated interactions of numerous genetic and environmental factors.

Osteoarthritis in adults by selected demographic characteristics, United States, 1960

Most MA abusers about 72% were young in their 20s or 30s , with women being 5 years younger than men on average.

national medical expenditure: Topics by Science.gov

It is likely, given government experience in other jurisdictions, that a significant proportion of this expenditure is paid as a result of fraudulent claims presented by corporations. The Elderly Nutrition and Health Survey in Taiwan 1999-2000 , a nationwide community-based survey of people aged 65 and older.

national medical expenditure: Topics by Science.gov

A higher percentage of Asian 4. Comparing these three groups, the Columbia site had fewer 'definite ALS' diagnoses.

Related Books

- [Recovery from schizophrenia - an international perspective : a report from the WHO collaborative pro](#)
- [Ragguaglio della vita del servo di Dio, Benedetto Giuseppe Labre francese, scritto dal suo medesimo](#)
- [Bienvenue Dans Les Parcs Nationaux. Canada.](#)
- [Sowjetische Geschichte des Grossen Vaterländischen Krieges, 1941-1945](#)
- [Con acento extranjero](#)