

# Field guidebook to Desmoinesian coal deposits in part of the Arkoma basin eastern Oklahoma

s.n.] - Cuticles of *Mariopteris occidentalis* White nov. emend. from the Middle Pennsylvanian of Oklahoma (USA), and a new type of climber hook for mariopteroid pteridosperms



Figure 1. Detailed Examinations of Two Outcrops.

Description: -

- Paleobotany -- Oklahoma -- Guidebooks.
  - Paleobotany -- Arkoma Basin -- Guidebooks.
  - Paleobotany -- Pennsylvanian -- Guidebooks.
  - Geology, Stratigraphic -- Pennsylvanian -- Guidebooks.
  - Coal -- Geology -- Arkoma Basin -- Guidebooks.
  - Coal -- Geology -- Oklahoma -- Guidebooks.
  - field guidebook to Desmoinesian coal deposits in part of the Arkoma basin eastern Oklahoma
  - field guidebook to Desmoinesian coal deposits in part of the Arkoma basin eastern Oklahoma
- Notes: Bibliography: p. 61-62.  
This edition was published in 1978



Filesize: 45.41 MB

Tags: #Interpretation #of #Paleozoic #paleokarst #features #in #the #Arkoma #Basin #of #Oklahoma #using #3D #seismic #and #well #logs

**A field guidebook to Desmoinesian coal deposits in part of the Arkoma Basin, eastern Oklahoma (Book, 1978) [skynet2550.us.to]**

Transition samples were taken in Unit 29 at unusually closely spaced intervals by using the obvious change in lithology as a guide in the field.

**Leonard Richard Wilson, Ph.D. Publications**

The Use of Fossil Spores in the Resolution of Mississippian Stratigraphic Problems: Tulsa Geological Society Digest, v.

**A field guidebook to Desmoinesian coal deposits in part of the Arkoma Basin, eastern Oklahoma for American Association of Petroleum Geologists, national annual meeting, Oklahoma City pre**

A regional study along the outcrop belt from northeast-ern Oklahoma through southeastern Kansas to northern Missouri by Suchy and West placed these rocks within a regional framework based on recognition of Punc-tuated Aggradational Cycles or PACs a la Goodwin and. One of the most prolific gas reservoirs in the area is the Hartshorne sand, of early Desmoinesian age, productive at 1,000-4,000 ft.

**KGS**

Four megawatts of natural gas-fired distributed generation capacity will provide power to nine community facilities and the Nation's senior housing complex while reducing the tribe's energy costs and dependence on coal-fired power. September 58 pages, 4 figures, 4 plates. Palynology: Journal of Paleontology, v.

**Desmoinesian (Middle Pennsylvanian) Orthocerid Cephalopods from the Buckhorn Asphalt Lagerstätte in Oklahoma, Midcontinent North America**

At the close of Krebs time early Desmoinesian a system of northeast-southwest trending normal faults displaced the rocks in and adjacent to the

southwestern flank of the Ozark. This paper covers field and follow-on sampling and evaluations developed from monitoring the literature on siderite genesis to date, including additional laboratory work on new samples obtained at the field sites, including new data on the contained carbonates and preliminary work on siderite remanent magnetism. Figures 57 and 58 are two unidentified microfossils from the Hackett Section.

## Related Books

- [Vijā qáram strī Khmaer](#)
- [Elective monarchy in the sources of Hamlet.](#)
- [Tatchi.](#)
- [Inventari di Pietro Edwards nella Biblioteca del Seminario patriarcale di Venezia](#)
- [Understanding electronic and computer technology](#)