

# Phytoplankton of the Gulf of Mexico - taxonomy of calcareous nannoplankton

School of Geoscience, Louisiana State University - Coccolithophorids from the west coast of Baja California, Mexico, Hydrobiologia



Description: -

Marine phytoplankton -- Gulf of Mexico  
Phytoplankton of the Gulf of Mexico - taxonomy of calcareous nannoplankton

Geoscience and man -- v. 20  
Phytoplankton of the Gulf of Mexico - taxonomy of calcareous nannoplankton

Notes: Bibliography: p. 55-62.

This edition was published in 1979



Filesize: 51.33 MB

Tags: #Phytoplankton #Bloom #in #the #Gulf #of #Mexico

## Coccolithophorids from the west coast of Baja California, Mexico, Hydrobiologia

Observations on surface distribution of marine plankton diatoms of Lower California in 1922. Phytoplankton blooms occurred in the Sea of Cortez shortly after irrigation along the coast carried fertilizers and other agricultural run-off into the sea. These small floating algae drift in the surface currents, and drifting organisms are called plankton.

## Phytoplankton Bloom in the Gulf of Mexico

Trois espèces du genre ont été retrouvées dans quelques échantillons récoltés dans l'océan Pacifique mexicain. We observed living material of the three species, but were unable to recognize specimens in preserved samples.

## Coccolithophores

Here we provide morphological information obtained by light and scanning electron microscopy on D. The exception is the Serravalian deposits at the locality of Kalaycôlar, western fan that provided higher numbers of tropical to temperate latitude nanno- fossils with increasing percentages from 30 to 50—55 % and decreasing numbers of temperate to high-latitude taxa 25—30 %.

## Exploring the Gulf of Mexico: Phytoplankton Part I

Symposium, Ankara 215—227 in Turkish. We describe five taxa of silicoflagellates: four species and one variety, including some morphological variants traditionally considered as recognized species or varieties.

## Coccolithophorids from the west coast of Baja California, Mexico

Self-archiving in repositories, personal webpages or similar, of any version other than the published by the Editor, is not allowed. The role of

pelagic crabs in the grazing of phytoplankton off Baja California. The coccolithophorid assemblages are considered subtropical and coastal with many cosmopolitan taxa.

## Related Books

- [Homage to Henry James, 1843-1916](#)
- [William Morris - the Sanford and Helen Berger Collection, an exhibition arranged by Anthony Bliss, Ma](#)
- [Modern dictionary of arts and sciences; a complete system of literature ... The historical, theologi](#)
- [Grün in alten Stadtvierteln - eine empirische Untersuchung zur Nutzung und Beurteilung innerstädti](#)
- [Forma e idea de los Esperpentos de Valle-Inclán.](#)