


Revision of the Boloria epithore complex, with description of two new subspecies (Nymphalidae)

Allyn Museum of Entomology - Boloria phylogeny (Lepidoptera: Nymphalidae): tentatively reconstructed on the basis of male and female genitalic morphology, Systematic Entomology



Description: -

-

Tibet (China) -- Guidebooks

Discrimination in employment -- Law and legislation -- United States

Insects -- Classification.

Boloria epithore. Revision of the Boloria epithore complex, with description of two new subspecies (Nymphalidae)

-

no. 11

Bulletin of the Allyn Museum, Revision of the Boloria epithore complex, with description of two new subspecies (Nymphalidae)

Notes: Bibliography: p. 22-23.

This edition was published in 1973



Filesize: 56.31 MB

Tags: #query #by #literature

query by literature

Reverdin as Pyrgus alveus sifanicus Grun-Grshimailo.

Erich Bauer, Antiquariat Goecke & Evers

Pt 4: Palearctic Olethreutinae: Microcorsini, Bactrini, Endotheniini and Olethreutini. Lépidoptères Lycaenidae récoltés en Iran en 1961. Zelleria hainbachi Busck Pine Needle Sheathminer attacks the needle fascicles and can stunt the growth of Lodgepole, Jack and Ponderosa pines; it ranges from California and southwestern BC east to Quebec and New York.

Boreus July 2001

Bij andere soorten bestaan eveneens aanwijzingen dat er half augustus migratie kan geweest zijn F. Since there is so much disagreement among butterfly experts in Canada, discussion of specific taxonomic changes or presumed misidentifications is not undertaken herein.

Boloria

PDF 150 Austin, George T. On Limenitis bredowii Nymphalidae with description of a new subspecies.

Erich Bauer, Antiquariat Goecke & Evers

Reformation of the Polyommatus section with a taxonomic and biogeographic overview. New taxa of Cossidae from SE Asia. Consistent with the recovery strategy outlined in the Recovery Plan Service 2003a, pp.

Inter

The best available scientific data indicate that the Quino checkerspot butterfly is undergoing range shift and inclusion of unoccupied habitat and non-core occurrence complexes in Unit 7 encompasses habitat that is essential for the conservation of the species in light of this documented range shift regardless of causation or correlation.

Boloria

Deserticossus danilevskyi Yakovlev, 2006 Kazakhstan 66.

Full text of

The discussion adds nothing to achieving the objective of the book - inspiring greater interest and awareness of bugs. Notes sur la faune des Hautes-Fagnes en Belgique.

Related Books

- [Railways and organized labor](#)
- [Organizational culture and reform - the case of the European Commission under Jacques Santer](#)
- [Byzantium to Turkey, 1071-1453](#)
- [Live with a man and love it! - The gentle art of staying happily married](#)
- [Jeremy Anderson.](#)