


Long-term follow-up of child molesters - risk predictors and treatment outcome

Ministry Secretariat, Solicitor General Canada - Relationship between child pornography and child sexual abuse



Description: -

- Child molesters -- Canada Long-term follow-up of child molesters - risk predictors and treatment outcome

- The Farm

Checkerbaord science library

23

Musique, musicologie,

Ask about animals

User report -- no. 1992-02 Long-term follow-up of child molesters - risk predictors and treatment outcome

Notes: Includes bibliographical references (leaves 22-27).

This edition was published in 1992



Filesize: 49.51 MB

Tags: #Adult #Sex #Offender #Recidivism: #A #Review #of #Studies

Pessimism about pedophilia

In Child Abuse and Neglect. Appendix I : Figure 1 Image Description Figure 1 is a survival curve showing the proportion of a mixed sample of sexual offenders who have not sexually recidivated over time.

Recidivism of child molesters: a study of victim relationship with the perpetrator

Variables particularly affected included difficulty achieving orgasm, flashback frequency, seeing oneself as sexually irresistible, aversion to acts committed during CSA, level of comfort of communication during sex, sexual experience pleasure with men, being promiscuous, feeling that sex is being done to one instead of being done with one, and sexual orientation McGettigan, 1992. She found a statistically significant relationship between how severe the abuse was and strength of trauma reported. Intensive home-based services and family preservation services directly correspond to ecological, developmental theories of maltreatment and provide services directed at the overall needs of abusive families.

7 INTERVENTIONS AND TREATMENT

Canadian Journal of Behavioural Science, 36, 87-96. The studies looked at ranged in publication from 1981 to 1995.

Dynamic Predictors Of Sexual Recidivism

Certain social problems may also be listed in the DSM-IV-TR under certain specific diagnoses.

Correctional Service of Canada

Nurses and hospital social workers also play an influential role in managing or detecting child abuse cases in medical settings.

Pessimism about pedophilia

This variable is a six-item scale that included exhibitionism, fetishism, transvestism, voyeurism, promiscuity, and compulsive masturbation. In another significant change, the draft suggests that the use of pornography depicting prepubescent or pubescent children for six months or longer should be considered a symptom of pedohebephilia. Classified as a paraphilia, an abnormal sexual behavior, researchers have found no effective treatment.

Child molester recidivism

In: Dulcan's Textbook of Child and Adolescent Psychiatry.

Related Books

- [Mensch vor der Frage nach dem Sinn - eine Auswahl aus dem Gesamtwerk](#)
- [Organic chemistry](#)
- [Illustration with markers](#)
- [Statistics of the manufacturing and commercial movement of coke in Belgium](#)
- [Workload standards for fair hearing officers, Department of Social Services](#)