

# Intake, the discriminant function - a report on the national study on social services for children and their families

Dept. of Health and Human Services, Office of Human Development Services, Administration for Children, Youth, and Families, Childrens Bureau, Program Development and Innovation Division : for sale by the Supt. of Docs., U.S. Govt. Print. Off. - Screening & Assessment in Child Protection

Description: -

-

Bombing and gunnery ranges -- Design and plans

Lead -- Toxicology

Child development deviations

Hyperactive children

Economics -- History -- Hungary

Human reproductive technology -- Feminist perspective

Human embryo -- Transplantation.

Fertilization in vitro, Human -- Canada.

Artificial insemination, Human -- Canada.

Human reproductive technology -- Canada.

Infertility -- Canada.

Alcoholism -- United States

Drinking of alcoholic beverages -- Health aspects -- United States

Youth -- Alcohol use -- United States

Alcoholism -- Treatment -- United States

Alcoholism -- Treatment -- United States

Children with disabilities -- Education -- United States

Project Head Start (U.S.)

Social work with children -- United States

Children -- Institutional care -- United States

Child welfare -- United StatesIntake, the discriminant function - a report on the national study on social services for children and their families

-

DHHS publication -- no. (ADM) 88-1519

DHHS publication -- no. (ADM) 88-1519(A)

DHEW publication -- no. (ADM) 78-648

DHEW publication ; no. (ADM) 78-648

DHHS publication -- no. (OHDS) 80-30259

DHHS publication ; no. (OHDS) 80-30259Intake, the discriminant function - a report on the national study on social services for children and their families

Notes: Issued Apr. 1980


This edition was published in 1980

Tags: #National #Study #of #Child  
#Protective #Services #Systems #and  
#Reform #Efforts: #Review #of #State  
#CPS #Policy

**Ministry of Social Services**

Red blood cell morphology was done on wright stained thin blood smears. Grip strength was measured by a hand-held dynamometer Grip D, Takei, Japan in the second follow-up, and Lafayette 78010 in the third follow-up , separately for each arm

**Screening & Assessment in Child**



Filesize: 10.29 MB

## Protection

Considering an optimal balance between sensitivity and specificity, failing 1 of the 6 items was chosen as the best cutoff for this age.

**Cohort Profile: Andhra Pradesh Children and Parents Study (APCAPS)**

Journal of the American Academy of Child and Adolescent Psychiatry 37 2 :171—178, 1998. J Am Acad Child Adolesc Psychiatry. Intake of sodas reported in this study agrees with the observation made by the CANADEAN organisation Hants, UK; 2006 unpublished report showing that the French ingest smaller amounts of sodas than do comparable populations of 15 other European countries.

**The relationship of Asperger's syndrome to autism: a preliminary EEG coherence study**

This gives a quantitative assessment of the degree to which each of a range of measures, in combination, discriminate between levels of an outcome variable in this case, the care pathway assignment. J Nutr 137 2 :472—7.

**The relationship of Asperger's syndrome to autism: a preliminary EEG coherence study**

Validation of the Comprehensive Feeding Practices Questionnaire with parents of 10-to-12-year-olds.

## Related Books

- [Développement et validation d'une échelle multi-dimensionnelle de satisfaction de patients de servi](#)
- [Workshop evaluation - forms follow function](#)
- [Developments in rubber technology.](#)
- [Boston Strangler](#)
- [Voices in a revolution - intellectuals \(& others\) in the collapse of the East German Communist regim](#)