

# Murray Basin, southeastern Australia: subsurface stratigraphic database

Australian Govt. Pub. Service - Sub

Description: -

-

Neuronal Plasticity

Neurodegenerative Diseases -- physiopathology

Nerve Regeneration

Central Nervous System -- physiology

Neuroplasticity

Nervous system -- Regeneration

Nervous system -- Degeneration

Central nervous system -- Physiology

Energy policy -- Washington (State)

Buildings -- Washington (State) -- Energy conservation.

Building laws -- Washington (State)

Medicine, Greek and Roman

Target marketing

Video games industry

Mental Healing -- Southwestern United States -- Biography

Healers -- United States -- Southwestern States -- Biography

Schlatter, Francis, -- 1856-1896?

Schlatter, Francis, -- 1856-1896?

Nosology.

Operas -- To 1800 -- Librettos.

Mines and mineral resources -- Australia -- Murray River Basin.

Geology -- Australia -- Murray River Basin.

Geology, Stratigraphic -- Cenozoic.Murray Basin, southeastern

Australia: subsurface stratigraphic database


-

Report (Australia. Bureau of Mineral Resources, Geology and Geophysics) -- 262.

Report / Department of Resources and Energy, Bureau of Mineral Resources, Geology & Geophysics -- 262Murray Basin, southeastern Australia: subsurface stratigraphic database

Notes: Includes bibliographical references (p. 52-57).

This edition was published in 1986



Filesize: 42.22 MB

The fossil wood is in the form of horizontal tree trunks up to 18 m long and 600 mm diameter. Stretching the crust led to the formation of basins such as the Cobar Basin, Mount Hope Trough, Melrose Trough and Rast Trough.

## Australian Stratigraphic Units Database

The upper surface is more irregular.

## Legacy Reports

The object of this work was to ascertain whether by intensive study of structural features of the ore bodies, any recommendation could be made in favour of further exploration or development of these fields that were productive in the past. Possible correlations have been investigated with the much better known Amadeus Basin to the east, and with the Officer Basin. Sedimentation continued into the Cretaceous and conditions became marine.

## Article Search Results

Tags: #Key #references

## Key references

Bureau of Mineral Resources, Geology and Geophysics. Volume 2 - The Phanerozoic. The Heavy Mineral Concentrate HMC obtained by the wet-dredging process is pumped ashore to the mineral concentrate stockpiles.

## Palaeomagnetic stratigraphy of Lake Bungunnia: Plio

An extension of the railway through Eyre Peninsula at the time and the opening up of the country to agricultural settlement made the problem of water supply a major concern to the Government. This may be relevant when reviewing very long-standing units.

### **Understanding Stratigraphic Heterogeneity: A Methodology to Maximize the Efficiency of the Geological Storage of CO<sub>2</sub>**

The first sea rise formed the and resulted in clay and marl in the west called the Bookpurnong Formation, and Calivil Formation river and lake sand in the east. Groundwater is of considerable importance to South Australia as there are limited surface water resources apart from the River Murray.

### **Australian Crustal Building Blocks Murray Basin**

This slab was during latest Cretaceous and Early Cenozoic periods to the north of the Australian continent underneath New Guinea. This study forms a valuable base for further work now in progress, and may be expected to disclose any economically valuable mineral deposit which may exist in the area.

## Related Books

- [Barthes and Utopia - space, travel, writing](#)
- [Takahashi Taishirō Shi kyūzō toshokangaku kankei shiryō mokuroku](#)
- [Des tropes ou Des diffêrens sens dans lesquels on peut prendre un même mot dans une même langue.](#)
- [A sentimental journey The journal to Eliza](#)
- [Immunità parlamentari e Costituzione - la riforma del primo comma dell'art. 68 Cost.](#)