


Annotated list of post-1950 literature pertaining to distribution of Gulf of Mexico fishes

Marine Research Laboratory - Functional



Description: -

-
Marine fishes -- Mexico, Gulf of -- Geographical distribution -- Bibliography. Annotated list of post-1950 literature pertaining to distribution of Gulf of Mexico fishes

-
Sprachenreihe Reichert
Easy to read biographies ;no.3
Lets peek
International theatre and cinema
Special scientific report (Florida. Marine Research Laboratory) -- no. 33

Special scientific report -- no. 33 Annotated list of post-1950 literature pertaining to distribution of Gulf of Mexico fishes

Notes: Cover title.

This edition was published in 1972



Filesize: 39.55 MB

Tags: #Fishes #of#Worldwide #(Circumtropical) #Distribution, #by#John#C.#Briggs

An annotated list of fish parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda, Nematoda) collected from Snappers and Bream (Lutjanidae, Nemipteridae, Caesionidae) in New Caledonia confirms high parasite biodiversity on coral reef fish

Coral reef status in the rompe sea area: Persian Gulf, Gulf of Oman and Arabian Sea. JNICT, Lisbon; SEI, Paris; and UNESCO, Paris.

Revision of the Genus Chiasmodon (Acanthomorpha: Chiasmodontidae), with the Description of Two New Species

Journal of Biological Research Thessaloniki 4: 221-224.

Revision of the Genus Chiasmodon (Acanthomorpha: Chiasmodontidae), with the Description of Two New Species

Fusilier fishes of the World. Theragra chalcogramma 24 Shinohara, G.

Revision of the Genus Chiasmodon (Acanthomorpha: Chiasmodontidae), with the Description of Two New Species

University of California Press, Berkeley. Red grouper are usually solitary until spawning time. Worldwide fishes were found to occupy four different marine habitats.

Fish Resources of the Gulf of Mexico

First record of the Indo-Pacific parrot fish *Scarus ghobban* in the Eastern Mediterranean. São-Paulo: Editora da Universidade de São Paulo; Imprensa Oficial do Estado.

Annotated checklist of the fishes of the Persian Gulf: Diversity and conservation status

The majority of the endemic species are distributed in one or two of the three subregions in the Gulf of Mexico eastern, northwestern, and

southern. The Living Marine Resources of the Western Central Pacific. Listed from the Pacific coast of South America by Fowler 1944: 484.

An annotated list of fish parasites (Isopoda, Copepoda, Monogenea, Digenea, Cestoda, Nematoda) collected from Snappers and Bream (Lutjanidae, Nemipteridae, Caesionidae) in New Caledonia confirms high parasite biodiversity on coral reef fish

Johns Hopkins University Press, Maryland. Records of the Indian Museum 45: 115-127. Marine Biodiversity Records 3: e102.

Biblio List

This distributional reduction is associated to alteration of habitats by man-made impacts e.

Related Books

- [Adolescence: special cases and special problems - the proceedings of the Workshop on Adolescence: Sp](#)
- [Po stranitsam russkoï i zarubezhnoï literatury - \[sbornik / stateï\]](#)
- [Capital gains tax \(including development land tax\).](#)
- [Microprocessor handbook](#)
- [My mate Shofiq](#)