

Litchi cultivation

Food and Agriculture Organization of the United Nations - Staff view: Dirāsāt wa



Description: -

- Litchi. Litchi cultivation

- 83.

FAO plant production and protection papers ;

83

FAO plant production and protection paper ; Litchi cultivation

Notes: Includes bibliographical references (p. 86-98).

This edition was published in 1989



Filesize: 67.1010 MB

Tags: #Litchi #cultivation

Litchi

The resulting fruits are actually , which are borne in clusters of from 3-50 fruits.

Lychee Tree Care: How To Grow Lychee Fruit In The Landscape

Red Rust: Small dark algae are observed on patches on lower side of leaves. In India its cultivation is restricted to Jammu and Kashmir, Uttar Pradesh and Madhya Pradesh but due to increasing demand its cultivation is spread to other states like Bihar, Jharkhand, Chhattisgarh, Orissa, Punjab and Haryana, Uttaranchal, Assam, Tripura and West Bengal. After flowering, it takes 70 to 100 days for the fruits to ripe in most of the commercial varieties of India.

Tips for Successful Cultivation of Litchi in India

CDC , in India, showed that cases were linked to the consumption of lychee fruit, causing a noninflammatory that mimicked symptoms of. Planting: The litchi trees are planted according to square system of planting at 8-10m apart in both row to row and plant to plant. Florida's Best Fruiting Plants: Native and Exotic Trees, Shrubs, and Vines.

Litchi Fruit Farming Information Guide

Powdery mildew: White powdery materials are found on the panicles and flower buds.

Tips for Successful Cultivation of Litchi in India

To over come the deficiency of boron applies 50-60 g boric acid in month of June or with fertilizer application. Treatments with auxins and some other chemicals were found effective in inducing flowering. You must expose the tree to cold temperatures for at least 100 hours in the winter if you want it to bloom and then bear fruit, and the female flowers have to be pollinated.

Staff view: Dirāsāt wa

The book of edible nuts. Protect the young plant from excessive sunlight, because they can be suffering from bright light suddenly. Seed is found inside this pulp, which is large size and color is brown.

Related Books

- [Adult education in Hong Kong](#)
- [Nonprofit sector and government in a new century](#)
- [Pressefreiheit nach dem GG und das Verhältnis der an der Herstellung eines Presseerzeugnisses Betei](#)
- [Clemson University mens basketball games - a complete record, fall 1953 through spring 2006](#)
- [Viceroyalty of Lord Ripon, 1880-1884](#)