


# Gammaridean Amphipoda of Australia, Part IV

Smithsonian Institution Press - Gammaridean Amphipoda of Australia [microform] : part V : superfamily haustorioidea / J. Laurens Bar...



Description: -

-

Crustacea -- Australia

Amphipoda -- Australia Gammaridean Amphipoda of Australia, Part IV

-

Smithsonian contributions to zoology -- no. 269

Smithsonian contributions to zoology ; no. 269 Gammaridean

Amphipoda of Australia, Part IV

Notes: Bibliography: p. 68

This edition was published in 1979



Filesize: 15.15 MB

Tags: #Gammaridean #Amphipoda #of #Australia, #Part #IV #(Book, #1979) #[perssongroup.materialsproject.org]

## Actual state of gammaridean amphipoda taxonomy and catalogue of species from Chile

Preliminary Notes on Benthic Gammaridean Amphipoda from the Zostera Region of Mihara Bay, Seto Inland Sea, Japan.

## Gammaridean Amphipoda of Australia [microform] : part V : superfamily haustorioidea / J. Laurens Bar...

The Platyschnopidae of America Crustacea: Amphipoda. Lower margin of coxa 7 round, with three minute setae.

## Barnard, J. Laurens 1928

Barnard but can be distinguished apparently from the latter by the following points; 1 dactyl terminal seta of maxilliped very long, 2 sinuous line of palm in gnathopod 2 and so on. Propod with three spines in tandem on antero-lateral margin and two locking spines. Propod longer than basis, with two spines in tandem and two locking spines on anterior margin.

## Gammaridean Amphipoda of Australia, Part IV (Book, 1979) [perssongroup.materialsproject.org]

Basis longer than width, having small concave with one small plumose seta, postero-distal lobe round and developed remarkably.

## Gammaridean Amphipods

Close examination of coupling specimens with well defined male must be the best way to determine the species position of such featureless females. Mouthparts: Palp of maxilliped slender, dactyl with long terminal seta, outer plate not reaching article 3 of palp.

## Community Structure of Intertidal Sandy Beaches in New South Wales, Australia

In addition, one terrestrial and one freshwater amphipod species have been reported from Costa Rica. Posterior margin of propod with one plumose seta medially.

**Gammaridean Amphipoda of Australia [microform] : part V : superfamily haustorioidea / J. Laurens Bar...**

I have only included species from continental Chile north of 56 °S, Juan Fernandez Archipelago and Isla de Pascua. The lack of literature has discouraged investigation of this group, which has been overlooked for years. Gnathopod 2: Coxa 2 rectangular, posterior margin concave.

**GAMMARIDEA AMPHIPODA OF THE INTERTIDAL REEF FLAT OF ISHIGAKI ISLAND, RYUKYU ARCHIPELAGO.**

Lobe of carpus with one stout spine near distal angle. Drummond Book Bib ID 3859111 Format Microform, Book , Author Description  
Washington : Smithsonian Institution Press, 1982 iv, 148 p.

## Related Books

- [Paphlagonia - reisen und forschungen im Nördlichen Kleinasien](#)
- [SSSR na vneshnikh rynkakh](#)
- [Computerized EMG monitoring in anesthesia and intensive care](#)
- [Conciencia lingüística europea - nuevas aportaciones de impresiones de viajeros](#)
- [Temple Newsam paintings.](#)