


# Guidelines on sterilization and high-level disinfection methods effective against human immunodeficiency virus (HIV).

## World Health Organization - High

Description: -



- Sterilization -- methods.  
HIV.

Acquired Immunodeficiency Syndrome -- prevention & control.  
Sterilization.

AIDS (Disease) -- Prevention. Guidelines on sterilization and high-level disinfection methods effective against human immunodeficiency virus (HIV).

- Gifford lectures

Methuens modern plays

Germanenrechte; Texte und Übersetzungen

WHO AIDS series -- 2. Guidelines on sterilization and high-level disinfection methods effective against human immunodeficiency virus (HIV).

Notes: Bibliography; p. 11.

This edition was published in 1988



Filesize: 23.93 MB

Tags: #High

## Disinfection & Sterilization Guidelines

Modified from Rutala and Weber. If heat sensitive, the object may be treated with ethylene oxide ETO , hydrogen peroxide gas plasma, vaporized hydrogen peroxide vapor, or hydrogen peroxide vapor plus ozone or by liquid chemical sterilants if other methods are unsuitable.

### Disinfection of Tonometers: A Report by the American Academy of Ophthalmology

It is unclear, but possible, that buildup biofilms contribute to failure of endoscope reprocessing. Recommendations for Occupational health and exposure: by ID number and category. Semicritical items represent the greatest risk of disease transmission as far more healthcare-associated infections have been caused by reusable semicritical items than critical or noncritical items.

### Disinfection of Tonometers: A Report by the American Academy of Ophthalmology

No changes in these procedures for cleaning, disinfecting, or sterilizing are necessary for removing bloodborne and emerging pathogens other than prions. Steam sterilize these components if they are heat stable.

### Guidelines for sterilization and high level disinfection methods effective against human immunodeficiency virus (HIV).

Use an FDA-cleared sterilant or high-level disinfectant for sterilization or high-level disinfection. Replace these endoscopes with steam sterilizable instruments when feasible. IB Recommendations for Cleaning of patient-care devices: by ID number and category.

## Disinfection & Sterilization Guidelines

Surfaces, such as table tops, should be flooded with disinfectant to remove blood and then wiped with sodium hypochlorite or several applications

of alcohol.

## Related Books

- [Algorithms for the solution of the optimal cost and bottle-neck travelling salesman problems](#)
- [World in arms!](#)
- [Manierismo fiorentino](#)
- [Routledge companion to the Stuart age, 1603-1714](#)
- [The Surprising Adventures Of Puss In Boots; The History Of A Little Dog; And The History Of A Little](#)