

Cabbage maggot in the home garden

Cooperative Extension, College of Agriculture & Home Economics, Washington State University
- Cabbage Maggot



Description: -

-

Woolf, Virginia, -- 1882-1941 -- Criticism and interpretation.

Vegetable gardening -- Washington (State)

Cabbage maggot -- Washington (State) -- Control cabbage maggot in the home garden

-

Extension bulletin (Washington State University. Cooperative Extension) -- 859.

Extension bulletin -- 859.

Insect answers cabbage maggot in the home garden

Notes: Caption title.

This edition was published in 1989



Filesize: 38.83 MB

Tags: #How #to #Rid #Your #Garden #of #Maggots #Once #a #Year

Cabbage and onion maggots in home gardens

They lay their eggs in rows close to the stem of cruciferous vegetables. If you are curious how to this article is a great read. You may have to move the garden and leave something out of it in addition to putting something in it.

Organic Controls for Cabbage Root Maggot

Later, plants collapse, wilt down, and die. If you direct sow, seeds need to be ¼ to ½ inch deep and thin them as they grow to 1-3 feet apart. When the maggot reaches its maturity it will form a cocoon to pupate for the next 3 weeks.

How To Control Cabbage Maggots In The Organic Garden

To achieve this, suspend the sticky notes slightly above the top of the plant.

How to Rid Your Garden of Maggots Once a Year

To help sweeten the deal, the first 10 subscribers to leave me a review on iTunes will receive a gardening prize.

Growing Cabbage in the Home Garden

It is common to observe only a few plants in a row suffering, most often those are on the perimeter of the crop. Female cabbage root flies lay eggs on or in the soil right next to the base of plants in the Brassicaceae family, including cabbage, , cauliflower, , Brussels sprouts, horseradish, and occasionally turnips and radish. Seedlings are very susceptible to this feeding and can be killed by it.

Growing Cabbage in the Home Garden

Make sure the rim of the cup is set into the soil. Do not fertilize late in the season, as this can lead to head splitting. Placing a row cover will trap

adults that hatch from the pupae and it will no longer protect the plants from the flies.

Wireworms and Maggots

From time to time during the winter, hoe and fork the soil around overwintering host plants and anywhere brassicas have been grown in the past season.

Cabbage Root Maggots: How to Identify and Get Rid of Garden Pests

Nope — just protecting them from cabbage root maggots! When the soil warms in the spring, adults emerge and then mate which leads to further egg laying of this insect.

Related Books

- [French from age eight, or eleven? - a study of the effectiveness of the teaching of French at the pr](#)
- [Opisanie kollektsii rukopisei Gosudarstvennogo arkhiva I Arislavskoï oblasti XIV-XX vekov.](#)
- [Shots in the dark](#)
- [History of Kansas City Kansas Community College](#)
- [This wildfire magic.](#)