


# Computational imaging IV - 16-18 January, 2006, San Jose, California, USA

SPIE - Edward J



Description: -

- 
- Image processing -- Digital techniques -- Congresses.
- Pattern recognition systems -- Congresses.
- Imaging systems -- Congresses.

Computational imaging IV - 16-18 January, 2006, San Jose, California, USA

- 
- Practical approach series
- Proceedings of SPIE--the International Society for Optical Engineering -- v. 6065.
- Proceedings of electronic imaging science and technology

SPIE -- vol. 6065 Computational imaging IV - 16-18 January, 2006, San Jose, California, USA

Notes: Includes bibliographical references and author index.

This edition was published in 2006



Filesize: 19.102 MB

Tags: #The #Ozcan #Research #Group #>> #Refereed #Conference #Publications

**dblp: Computational Imaging**

An algorithm that is suitable for this task is the method of vector space projections VSP.

**Publications**

Ó Proceedings of the International Symposium on Signal Processing and its Applications, February 2007, Sharjah, United Arab Emirates U.

**is the most comprehensive listing of meetings and conferences addressing and supporting particle and dispersion technologies across industry and discipline lines.**

Delp, ÓStreaming Video and Rate Scalable Compression: What Are the Challenges for Watermarking? In the second, a learning machine is trained to predict human users' perception of the similarity of two images for purposes of content-based image retrieval from a database. Delp, ÓRate Allocation for Prediction Drift Reduction in Video Streaming,Ó Proceedings of the IEEE International Conference on Image Processing, Vol.

**Edward J**

The resulting mesh structure is then used to perform iterative image reconstruction using a mesh-based maximum-likelihood expectation-maximization algorithm. In this new approach, every piece of available information about both the source function and the system impulse response function is expressed via a constraint set. Journal of Display Technology, Vol.

**dblp: Computational Imaging**

The most commonly used quality measurement is the detection performance in a detection task. The numbers are normalized to be in the range 0. Delp, ÓAn Analysis of a Circle Fitting Procedure,Ó Proceedings of the EURASIP Conference on Digital Signal Processing for Multimedia Communications and Services, September 11-13 2001, Budapest, Hungary.



## Related Books

- [Industrial research in Britain.](#)
- [François Lemoine à Versailles](#)
- [Making sure.](#)
- [Boxwood gardens, old and new](#)
- [Housing at Corby - \(parts 1 & 2\).](#)