


Calcification of Algal biofilms in hard waters - occurrence and control

University of Birmingham - Deposition of Calcium Carbonate within Algal Biofilms on Antifouling Paints in Hard Waters



Description: -

-Calcification of Algal biofilms in hard waters - occurrence and control

-Calcification of Algal biofilms in hard waters - occurrence and control

Notes: Thesis (Ph.D) - University of Birmingham, Department of Biological Sciences.

This edition was published in 1994



Filesize: 68.62 MB

Tags: #10 #Biofilms #in #Drinking #Water #Distribution #Systems: #Significance #and #Control

Effects of High Dissolved Inorganic and Organic Carbon Availability on the Physiology of the Hard Coral *Acropora millepora* from the Great Barrier Reef

Natural organic polymers and microbes in natural non- Oceanic water-ways: A.

Frontiers

Mehrbach C, Culberson CH, Hawley JE, Pytkowicz RM.

[PDF] Biogeochemical Processes and Implications for Nutrient Cycling

Decreased abundance of crustose coralline algae due to ocean acidification. Forms of the hydrozoan Millepora on a Recent coral reef. Coral reefs under rapid climate change and ocean acidification.

Effects of High Dissolved Inorganic and Organic Carbon Availability on the Physiology of the Hard Coral *Acropora millepora* from the Great Barrier Reef

Recently, researchers have shown that viruses and parasites like Cryptosporidium can be trapped in biofilms.

Algal Biofilms and Their Biotechnological Significance

While high DOC reduced photosynthesis of A.

Biofilm

The cycling and fate of terrestrially-derived sediments and nutrients in the coastal zone of the Great Barrier Reef shelf. Biofilm samples collected in February and March had the highest chlorophyll a and total phosphorus concentrations. However, in a well-designed and -maintained tower, the risks of Legionella pneumophila are greatly reduced.

Effects of High Dissolved Inorganic and Organic Carbon Availability on the Physiology of the Hard Coral *Acropora millepora* from the Great Barrier Reef

Additionally, manufacturers generally are not obligated to provide the health-care facility with cleaning and disinfecting instructions appropriate for medical equipment use, and the U.

Related Books

- [Tagebücher 1920-1921](#)
- [Dictionary of Americanisms. - A glossary of words and phrases usually regarded as peculiar to the Un](#)
- [Nihon yo nogyō kokka tare - 21-seiki no sangyō](#)
- [Critical legal studies - a guide to the literature](#)
- [Zehn Jahre Verwaltungsgerichtsordnung - Bewährung und Reform. Vorträge und Diskussionsbeiträge.](#)