


# Spirurata of animals and man, and the diseases caused by them

## Israel Program for Scientific Translations - Diseases caused by the consumption of meat



Description: -

-

Nematoda. Spirurata of animals and man, and the diseases caused by them

-

Osnovy nematologii -- v. 11-12, 16.

Akademiia nauk SSSR. Gel'mintologicheskaiia laboratoriiia. Essentials of nematodology -- v. 11-12, 16. Spirurata of animals and man, and the diseases caused by them

Notes: Translation of Spiruraty zhivotnykh i cheloveka i vyzyvaemye imi zabolevaniya.

This edition was published in 1967



Filesize: 7.310 MB

Tags: #Diseases #that #can #spread #from #animals #to #humans

### Diseases that can spread from animals to humans

Many parasites colonize and damage the integument in some way. Helminth parasites of the hedgehog, *Hemiechinus auritus* in Kuwait with description of two new nematodes *Seuratum kuwaitensis* and *Spirura auriti*. The cuticle was characterized by fine transverse striations in both sexes Figures B-D.

### 18 Most Common Cattle Diseases: You Must Know As A Farm Owner

There are several serovars of *Leptospira* are hard, Canicula, Pomona, ichtero hemorrhage, and grippotyphosa. The disease is caused by the Capripoxvirus of Poxviridae.

### *Tetrameres (Tetrameres) noveli bodrogensis* n. ssp. (Spirurata) and other nematodes of three species of shorebirds (Charadriiformes) in the Slovak Republic

In the above article, I have given only a little information for your knowing. Also, a pair of lateral ciliated cervical papillae with a cluster of small papillae was observed at the anterior end of both male and female *P. Tetrameres Tetrameres noveli bodrogensis* n.

### Diseases caused by the consumption of meat

Two new genera and species of cystidicolids Nematoda, Cystidicolidae from marine fishes of New Caledonia. The causal agents of the disease are multiple like bacteria *Pasteurella*, *Mycoplasma*, *Histophilus*, virus Parainfluenza, Bovine Viral Diarrhea, and fungus or parasites.

### Diseases that can spread from animals to humans

Nematodes represent the broadest group of parasites. The clinical signs are circular skin lesions, loss of hair, itching, and damage to skin quality.

### **Scanning electron microscopy observations of the hedgehog stomach worm, *Physaloptera clausa* (Spirurida: Physalopteridae)**

Each lip bore a pair of cephalic papillae, three porous-like circumscribed regions, with a cuticle pattern differing from the surface of the anterior portion. There are several bacteria involved in mastitis, including *Pseudomonas*, *Streptococcus*, *Staphylococcus*, *E. coli*, *Pseudomonas*, *Mycoplasma*, and many more. The causal agent of ringworm is the *Trichophyton verrucosum*.

## Related Books

- [Yādgār-i ‘ishq dar āsār-i Jalīl Rasūlī = - Memorial of love in the works of Jalil Rassouli](#)
- [Erde im kosmischen Bombardement](#)
- [Membumikan ekonomi syariah di Indonesia - perspektif sosioyuridis](#)
- [--viel zuviel verschwiegen - eine Dokumentation von Lebensgeschichten lesbischer Frauen aus der Deut](#)
- [Garcia the Centenarian and His Times](#)