

Halogenated aliphatic, olefinic, cyclic, aromatic and aliphatic-aromatic hydrocarbons - including the halogenated insecticides, their toxicity and potential dangers.

U.S. Dept. of Health, Education, and Welfare, Public Health Service - Halogenated Hydrocarbon

Description: -

-

Brno (Czech Republic) -- Imprints.

Early printed books.

Bremen (Germany) -- Economic conditions.

Shipbuilding industry -- Germany -- Bremen -- Employees -- History.

Shipyards -- Germany -- Bremen -- History.

Shipbuilding -- Germany -- Bremen -- History.

Financial institutions -- Taxation -- United States

Income tax -- Law and legislation -- United States

Israel -- International status -- Sources.

Arab-Israeli conflict -- Sources.

Arab-Israeli conflict -- Sources.

United Nations -- Palestine -- History -- Sources.

Hydrocarbons, Halogenated -- toxicity.

Hydrocarbons -- toxicity.

Aromatic compounds.

Aliphatic compounds.

Hydrocarbons -- Toxicology.halogenated aliphatic, olefinic, cyclic, aromatic and aliphatic-aromatic hydrocarbons - including the halogenated insecticides, their toxicity and potential dangers.

-

Public Health Service publication -- no. 414.

[U. S.] Public Health Service. Publication no.414halogenated

aliphatic, olefinic, cyclic, aromatic and aliphatic-aromatic

hydrocarbons - including the halogenated insecticides, their toxicity and potential dangers.


Notes: Includes bibliographies.

This edition was published in 1955

Tags: #Chlorobenzene

Halogenated Hydrocarbon

Under certain conditions, these emulsions may separate and release relatively fresh oil. Enzymes regulated by chemical signals are common in biology, but few such artificial catalysts exist.



Filesize: 52.82 MB

050. Ethylene dibromide (FAO Meeting Report PL/1965/10/2)

Many states use or permit the use of this method EPA 418. Wytyczne Szacowania Ryzyka Zdrowotnego dla Czynnیکów Rakotwórczych.

Chloroform

Cytotoxicity and genotoxicity studies were carried out and the compound 4e was found as non-cytotoxic and non-genotoxic. It is occasionally present in household cleaners. Atomic absorption has been employed as a means of measuring the lead content of gasoline ASTM D3237 and for the manganese content of gasoline ASTM D3831 as well as for determining the barium, calcium, magnesium, and zinc contents of lubricating oils ASTM D4628.

Catalog Record: The halogenated aliphatic, olefinic, cyclic,...

The feeding studies carried out with ethylene dibromide, either fed directly or as a residue after fumigation, are principally concerned with poultry. The obtained complexes reflect the strong bridging ability of the oximato group as well as its ambidentate and flexidentate characters. PC-INH loaded liposomes PILs were characterized using dynamic light scattering, transmission electron microscopy, energy-dispersive X-ray spectrometry and UV-Vis absorption spectrometry, which was used also for estimation of encapsulation efficiency %EE.

Related Books

- [Problems in Pan Americanism](#)
- [Economics of defense in the nuclear age](#)
- [Ling-ch'uan hsien chih - Kuang-hsi sheng : \[14 chüan\]](#)
- [Ma'a al-nuhāh - wa-mā ghāsū 'alayhi min daqā'iq al-lughah wa-asrārihā : dirāsah](#)
- [Kehilah tomekhet - meḥkar ha'arakhah](#)