


Evaluation of a pharmacist documentation system for antibiotic appropriateness and patient outcome

National Library of Canada - Quality Indicators to Measure Appropriate Antibiotic Use in Hospitalized Adults



Description: -

-evaluation of a pharmacist documentation system for antibiotic appropriateness and patient outcome

- Canadian theses = Thèses canadiennes
evaluation of a pharmacist documentation system for antibiotic appropriateness and patient outcome

Notes: Thesis (M.Sc.)--University of Toronto, 1993.

This edition was published in 1993



Filesize: 47.43 MB

Tags: #Appropriateness #of #Surgical #Antimicrobial #Prophylaxis #Practices #in #Australia

Monitoring, documenting and reporting the quality of antibiotic use in the Netherlands: a pilot study to establish a national antimicrobial stewardship registry

Paediatric patients were more likely to have been prescribed an appropriate antibiotic than adult patients 77.

Swiss Medical Weekly

Reasons for inappropriateness, such as timing and duration, varied according to the type of SAP and surgical specialty. One A-team reviewed all prescribed antibiotics for appropriateness instead of only restricted and limited prescription antibiotics. In addition, there is variability in the procalcitonin cut-offs that were used.

Monitoring, documenting and reporting the quality of antibiotic use in the Netherlands: a pilot study to establish a national antimicrobial stewardship registry

An approach for the estimation of drug prescribing using the defined daily dose methodology and drug dispensation data. Therefore, in the four-month post-ASP period, we found a reduced mortality rate 13% within 30 days follow up from a day of discharge. Cost-effectiveness of prospective and continuous parenteral antibiotic control: experience at the Palo Alto Veterans Affairs Medical Center from 1987 to 1989.

Swiss Medical Weekly

Table summarized the significant improvement in all the parameters of the appropriateness of antibiotic use in the post-ASP phase. Pharmaceutical care delivered by the clinical pharmacist is likely to have had beneficial outcomes. Most recently, a multicenter national retrospective cohort study of patients in the US Veterans Affairs health care system captured data from 79 058 patients who underwent a range of surgical procedures cardiac, orthopedic, colorectal, and vascular.

Related Books

- [Central conception of Buddhism, and the meaning of the word dharma](#)
- [Villa Pietrangeli - enquête sur une maison disparue](#)
- [Re-establishment of Ugandas geodetic control network using GPS.](#)
- [Neue reise unter die wilden in Nord-America](#)
- [Judean antiquities 1-4](#)