
Recent ostracodes of the family Pontocyprididae chiefly from the Indian Ocean

Smithsonian Institution Press; [for sale by the Supt. of Docs., U.S. Govt. Print. Off.] - Anchialine Cyprididae (Ostracoda) from the Galapagos Islands, with a review of the subfamily Paracypridinae



Description: -

Crustacea -- Indian Ocean.

Pontocyprididae.Recent ostracodes of the family Pontocyprididae chiefly from the Indian Ocean

no. 7.

Smithsonian contributions to zoology;

Smithsonian contributions to zoology, no. 7Recent ostracodes of the

family Pontocyprididae chiefly from the Indian Ocean

Notes: Bibliography: p. 50-52. This edition was published in 1969



Filesize: 55.84 MB

Tags: #Recent #ostracodes #of #the #family #Pontocyprididae #chiefly #from #the #Indian #Ocean #(1969 #edition)

JM

Q-mode cluster analysis was calculated with the free software package Paleontological Statistics PAST; Hammer, 2013. A detailed study on Recent Ostracoda was carried out in twenty-six surface sediment samples collected from shelf region of the Southwestern part of Bay of Bengal. Focused on their habitat, L.

of Antarctic Marine Species (RAMS)

Also, dissolved oxygen ranges from 6.

Pontocyprididae

The purpose of this study was to report the Holocene ostracod assemblages from the Co To Islands, northeastern Vietnam, and discuss their paleobiogeographic and paleoenvironmental significance. Wikipedia citation Copy and paste this code into your Wikipedia page.

Anchialine Cyprididae (Ostracoda) from the Galapagos Islands, with a review of the subfamily Paracypridinae

Thalassocypridine Ostracoda from anchialine habitats of Jamaica. Callistocythere arcane Bonaduce et al. Bulletin of the British Museum Natural History, 41, 235-251.

JM

Callistocythere arcana Bonaduce et al. The shallowest assemblage I from 10 to 80 m water depth is characterised by Hemikrithe Orientalis, Pterygocythere chennaiensis and Lankacythere multifora which are associated with sand to slightly muddy sand. C, 28: 37—76, 12 figs.

Propontocypris attenuata

Preliminary harmonic	analysis of the ou	utlines of recent macro	ocypridid Ostracoda.	. Trinh 4, and Minh	T. Remarks: The v	valves of Genus
Paradoxostoma are t	thin calcified and r	nearly smooth.				

Related Books

- Externalitätenmanagement durch Verbände
 Mishpete ha-Torah teshuvot li-she'elot aktu'aliyot be-dine mamonot u-ven adam la-havero
 Illinois rail system plan, phase II.
- Ocalić człowieka--ocalić kulturę personalistyczna koncepcja teologii kultury
- Focus on children a handbook for teachers