
Should the treatment of patients with psoriasis take into account their emotional needs as well as their physical symptoms - a discourse analytic exploration

- - Standardization meets stories: Contrasting perspectives on the needs of frail individuals at a rehabilitation unit



Description: -

- -Should the treatment of patients with psoriasis take into account their emotional needs as well as their physical symptoms a discourse analytic exploration
- -Should the treatment of patients with psoriasis take into account their emotional needs as well as their physical symptoms a discourse analytic exploration

Notes: Thesis (M.Sc.) University of Surrey, 1996.

This edition was published in 1996



Filesize: 52.34 MB

Tags: #Approaches #to #Psychotherapy

Fluency Disorders

Not all of these approaches are appropriate for the treatment of cluttering see Cluttering Treatment below. More attention should be paid to patient views to increase their satisfaction with care and probably treatment adherence.

Approaches to Psychotherapy

Within a formal health care perspective, and with governmental support, rehabilitation is conceptualized as: planned, time-limited processes in which several agents provide essential assistance, applying well-defined means to reach clearly delineated goals, supplementing the user's own efforts toward attaining the highest possible level of functioning and coping in terms of autonomy and of participation in a social life and in society our translation Garåsen,. As psychological distress can influence disease course, adherence and treatment success, it is clinically relevant to select patients with a psychological risk profile 66, 67. With regard to psychological functioning, approximately 30—40% of the patients with chronic skin and pain conditions have elevated distress levels and can be considered at risk for long-term psychological adjustment problems 13—16.

"Am I carrier?" The patient's lived experience of thrombophilia genetic screening and its outcome

Co-occurring patterns of post-traumatic stress disorder and depression among flood victims: a latent profile analysis. Workplace in fluency management: Factoring the workplace into fluency management.

Standardization meets stories: Contrasting perspectives on the needs of frail individuals at a rehabilitation unit

GP C stated: I've tried to focus on his strengths and be supportive. American Journal of Speech-Language Pathology, 11 1, 41—49.

Patients' views and needs about systemic sclerosis and its management: a qualitative interview study Behavioral applications to these problems have left clinicians with considerable tools for enhancing therapeutic effectiveness. PA: I wouldn't call it a conversation.

Related Books

- Lógica del indicio en materia criminal
 Escape from freedom
- Learning to make a difference proceedings of the Eleventh National Conference of the Association o
- Sor Juana anthology
- <u>La robe couleur abricot = El fostan de pitagra : enfances sépharades</u>