


Suggestions for the control of the pea weevil in Oregon with especial reference to peas grown for processing

Oregon State System of Higher Education, Agricultural Experiment Station, Oregon State Agricultural College - Administrative Report Or Publication

Description: -

-
Ballet -- Stage-setting and scenery -- Catalogs
Ballet -- Costume -- Catalogs
Robertson, W. Graham -- 1866-1948
Bakst, León, -- 1866-1924
Lambs -- United States -- Statistics.
Sheep -- United States -- Statistics.
Pea-weevil -- Control -- Oregon.
Bruchus -- Control -- Oregon.
Peas -- Diseases and pests -- Control -- Oregon. Suggestions for the control of the pea weevil in Oregon with especial reference to peas grown for processing
-
Station circular (Oregon State College. Agricultural Experiment Station) -- 126.
Station circular / Oregon State System of Higher Education, Agricultural Experiment Station, Oregon State Agricultural College -- 126. Suggestions for the control of the pea weevil in Oregon with especial reference to peas grown for processing
Notes: Cover title.
This edition was published in 1938



Filesize: 22.98 MB

Tags: #Peanuts

Growing triticale in Victoria

Plums, single crate Grapes, single crate. Caterpillars feed specially on the new growth of citrus trees. Controlling the garden web-worm in alfalfa fields.

Administrative Report Or Publication

It will be seen that the awards were given to old established varieties, viz. The statements here given are growers' estimates rather than census figures.

PEA LINE 08530731

They are found on the surface of fibrous roots under debris-covered egg masses embedded in a gelatinous matrix. Irrigation requirements of the arid and semiarid lands of the Columbia River Basin. Available phos- phoric acid Potash Per Cent Pounds FOR One Acre 2 15 to 30 8 30 to 60 10 40 to 80 1 1 Pounds of Different Materials for One Acre 1 90 to 180 lb.

Preventing Pea Weevil Damage

Tree of good vigor and very productive. Anthriscus cerefolium Radish, lettuce, broccoli Aphids Radish Loves shade, fortunately it grows well with shade-tolerant food plants; will make radishes grown near it taste spicier Allium schoenoprasum Apples, carrots, grapes, roses, tomatoes, brassica broccoli, cabbage, mustard, etc.

List of companion plants

Beattie, James-Herbert and Doolittle, S. Available phos- phoric acid Potash Per Cent Pounds for One Acre 40 to 80 70 to 140 90 to 180 Pounds

of Different Materials for One Acre ' 1 2 3 , 4 1 1 2 3 1 2 3.

Peanuts

Beef production and quality as influenced by crossing Brahman with Hereford and Shorthorn cattle. The pea weevil emerges about when peas are blooming, feeding on flowers pollen and petal , leaves, or pods. Bridge piers as channel obstructions.

Related Books

- [Kokusai manē sensō](#)
- [Inside intuition: what we know about non-verbal communication.](#)
- [Kol dodi on Megillas Ruth = - Kol dodi ‘al Megilat Rut : comments, insights and ideas on the Book of](#)
- [Metaphysik der Sitten](#)
- [Mekhanika svyazannykh polei v èlementakh konstruksii - izdanie v piati tomakh](#)