

Lasers in dentistry XI - 23 January 2005, San Jose, California, USA

SPIE - Prof. Natalia Mikhailovna Shakhova Profile

Description: -

-

Journalism

Community newspapers.

History: World

Second World War, 1939-1945

France

War & defence operations

Travel & holiday guides

European history: Second World War

Whaling -- Fiction.

Boats and boating

Sports

Maintenance and repair

Fiction / General

Dinghies

Warfare & Defence

Technology: General Issues

Currency question -- Mexico

Poetry / Single Author / American

American - General

Poetry

American English

Poetry texts & anthologies

Southern States -- Politics and government -- 1865-1950.

Political parties -- Southern States.

Republican Party (U.S. : 1854-)

Lasers in dentistry -- Congresses. Lasers in dentistry XI - 23 January 2005, San Jose, California, USA

-

ser. 77, no. 1

Johns Hopkins University studies in historical and political science, v. 5687.

Proceedings of SPIE--the International Society for Optical Engineering ;

v. 5687


SPIE,

v. 6, no. 2

Progress in biomedical optics and imaging. Lasers in dentistry XI - 23 January 2005, San Jose, California, USA

Notes: Includes bibliographical references and index.

This edition was published in 2005



Tags: #Prof. #Natalia #Mikhailovna #Shakhova #Profile

Projection displays XI : 25

Using this algorithm the datasets of all patients were processed and analyzed and the diagnoses were obtained. OCT was also used for intraoperative monitoring of zones around the tumor for adequate resection 31 patients. Diffuse Optical Tomography DOT is based on acquiring information from multiply scattered light which penetrates into the tissue up to depths of several centimeters.

Lasers in dentistry XI : 23 January 2005, San Jose, California, USA

Changes of these indicators were compared then with tumor pathologic response.



Filesize: 22.95 MB

Prof. Natalia Mikhailovna Shakhova Profile

The depth of thermal damage was measured as 38 micrometer plus or minus 22. Absorption peaks for amide I, II and III, carbonate and phosphate were identified. The use of liquid agents with different viscosities in PS-OCT imaging may help determine the severity and depth of caries lesions in the occlusal pits and fissures.

Projection displays XI : 25

Obtained optical data was analyzed to find general optical characteristics of scattered radiation in different types of tissue and revealing the major peculiarities in the spectral scattering coefficients of malignant tumors and their distinctions from benign tumors and healthy tissue.

Dr. David Michael Harris Profile

However, while OCT demonstrates a structural difference in the enamel in the region of the caries, this technique provides little insight into the source of this difference.

Dr. David Michael Harris Profile

We present pilot results in optical coherence tomography OCT visualization of normal mucosa radiation damage. Previous studies have demonstrated that Polarization Sensitive Optical Coherence Tomography PS-OCT can be used to image early dental caries. Photo-cured dental composites are widely used in dental practices to restore teeth due to the esthetic appearance of the composites and the ability to cure in situ.

Lasers in dentistry XI [electronic resource] : 23 January 2005, San Jose, California, USA in SearchWorks catalog

We have obtained the feasibility to estimate the degree of caries and health condition by deriving the ratio between Raman and fluorescence intensity. The aim of this paper is comparative study of the feasibility of two optical methods - fluorescence spectroscopy and optical coherence tomography - for visualization of borders of neoplastic processes in the uterine cervix and vulva. Based on results of clinical examination of about 200 patients we discuss capabilities of the optical coherence tomography OCT in monitoring and diagnosing of various pathophysiological processes.

Lasers in dentistry XI [electronic resource] : 23 January 2005, San Jose, California, USA in SearchWorks catalog

An endoscopic OCT device adjusted for gynecological examinations with colposcopy, hysteroscopy and laparoscopy has been developed at the Institute of Applied Physics. Optical coherence tomography OCT is a promising tool for providing imaging of biotissues with high resolution at depths up to 2 mm.

Related Books

- [When the mopoke calls](#)
- [Design in society](#)
- [Aṣābī' Maryam - qisāṣ qaṣīrah](#)
- [Archivio medico del Principato - inventario sommario.](#)
- [Tang dai mu zhi ci hui yan jiu = - Tangdai muzhicihui yanjiu](#)