# Annotated master specifications for the cleaning and repointing of historic masonry.

Ministry of Citizenship and Culture - Annotated master specifications for the cleaning and repointing of historic masonry. : Book, Regular Print Book : Toronto Public Library

Description: -

Arctic regions -- Research -- Germany -- International cooperation.

Microorganisms -- Antartica.

Sedimentation and deposition -- Russia (Federation) -- Laptev Sea.

Permafrost -- Russia (Federation) -- Lena River Delta.

Paleoclimatology -- Quaternary.

Paleoclimatology -- Russia (Federation) -- Laptev Sea.

Missions -- Nova Scotia.

Presbyterian Church -- Nova Scotia.

Rosa, Joao Guimaraes.

Public utilities -- Rates -- Law and legislation -- United States --

Public utilities -- Rates -- Law and legislation -- United States.

Hazardous substances -- Inspection -- United States

Umbanda (Cult)

Fortune-telling by shells

Aristotle.

Asia, Western -- Description and travel.

Historic buildings -- Cleaning -- Contracts and specifications --

Historic buildings -- Conservation and restoration -- Contracts and specifications -- Canada. Annotated master specifications for the cleaning and repointing of historic masonry.

-Annotated master specifications for the cleaning and repointing of historic masonry.

Notes: Editors: Richard Unterman, Mark Fram - preface.

This edition was published in 1985

Tags: #Cleaning #House: #Cleaning #A #Brick #House



This specification provides guidance on the removal of paint-based graffiti from sandstone using a chemical paint stripper

or poultice. Analysis requires interpretation, and there are important factors which affect the condition and performance of the mortar that cannot be established through laboratory analysis.

### **Technical Documents**

Like acidic cleaners, alkaline products are usually applied to pre-wet masonry, allowed to dwell, and then rinsed off with water. Stresses within a wall caused by expansion, contraction, moisture migration, or settlement must be accommodated in some manner; in a masonry wall, these stresses should be relieved by the mortar rather than by the masonry units. Masonry deterioration caused by salt deposition results when the mortar is less permeable than the masonry unit.

#### UFGS MasterFormat 1995 to MasterFormat 2004 Conversion Table

Portions of the building may have been repointed in the past while other areas may be subject to conditions causing unusual deterioration. Masonry Cement Masonry cement is a preblended mortar mix commonly found at hardware and home repair stores. Contemporary Stucco Products There are many contemporary stucco products on the market today.

Cleaning & Prevention of Algae, Fungus, Lichens, Moss on Stone or Stucco Tombstones, Graves, Walls, Sidewalks, TSP Substitutes

These growths should be removed, as they attract moisture to the masonry surface and hold it there, which can lead to more serious problems.





Filesize: 34.56 MB

## Moisture Remediation in Single Wythe Masonry

Do not handle until all safety precautions have been read and understood	. Thus, it is usually necessary to cover windows and doors, and other
features that may be vulnerable to chemical cleaners.	

#### **Related Books**

- Geschichte der hamburgischen Volksschule. Bad Heilbrunn/Obb., Klinkhardt
- Etología, ciencia actual
- Dynamic role of physical distribution management proceedings ... and Salzberg Memorial lecture of
- <u>Using Monopoly as an introduction to financial accounting.</u>
- Numedal