

Prevention of lyctus attack in sawn hardwoods by use of contact insecticides.

H.M.S.O - US4325993A



Description: -

-Prevention of lyctus attack in sawn hardwoods by use of contact insecticides.

-

Forest Products Research Laboratory leaflet -- no.43 Prevention of lyctus attack in sawn hardwoods by use of contact insecticides.

Notes: Previous ed. (B60-14470) 1960.

This edition was published in 1964



Filesize: 67.58 MB

Tags: #Effectiveness #of #Boric #Acid #by #Ingestion, #But #Not #by #Contact, #Against #the #Common #Bed #Bug #(Hemiptera: #Cimicidae)

Powderpost beetles

The surface of unpainted or otherwise unprotected wood can be treated, and the galleries injected with disodium octaborate tetrahydrate such as BoraCare or Timbor.

US4325993A

Australian Forestry Journal 8, 298-299. Herein, the proportion of water in these mixtures may vary in the range 1 - 99 vol.

Understanding Timber Preservation

True Bugs Order Hemiptera A group of insects known as the true bugs, the Hemiptera suborder Heteroptera , include such common insects as bed bugs, stink bugs, and those discussed below. Habits: Commonly found in bathrooms breeds in scum in drains, showers, overflows, toilet bowls, etc.

Everything About Wood: Lyctine (Coleoptera: Bostrichidae) pests of timber in Australia: a literature review and susceptibility testing protocol.

Hot dipped galvanised or stainless steel fasteners are recommended for CCA treated timber. That means as many as 80 percent of the world's insect species are undiscovered and yet to be named! Become nuisance in the Fall when they begin searching for overwintering sites inside homes and other structures. Follow suggestions under section titled Proactive Pest Management.

Lyctid Powderpost Beetles: Suggestions for Control

General feeder on detritus, mold, fungi, etc. They cannot infest seasoned, processed lumber in lumberyards or dimensional lumber in-service or trees that have been debarked.

Woodworms: the complete guide to prevent and solve the problem

These authors recommended that young trees should be felled during seasons when starch levels are low and storage procedures should be adopted that promote rapid loss of starch in order to reduce susceptibility to lyctine infestation.

Timbor, Tim

Excellent for pre-construction of decks, fence posts or any other wood surfaces that make contact with the soil.

Related Books

- [Mittelägyptische Grammatik für Anfänger](#)
- [Directrices ambientales para la planificación y gestión de asentamientos.](#)
- [Context North America - Canadian/U.S. literary relations](#)
- [Buddhism - being a sketch of the life and teachings of Gautama, the Buddha](#)
- [Animals and teens - the ultimate teen guide](#)