


Reported stress, personality, and mental health in parents of children with pervasive developmental disorders.

- - Parenting stress and competence in borderline personality disorder is associated with mental health, trauma history, attachment and reflective capacity



Description: -

-Reported stress, personality, and mental health in parents of children with pervasive developmental disorders.

-Reported stress, personality, and mental health in parents of children with pervasive developmental disorders.

Notes: Thesis (Ph.D.) -- University of Toronto, 2003.

This edition was published in 2003



Filesize: 37.47 MB

Tags: #Behaviour #and #emotional #problems #in #toddlers #with #pervasive #developmental #disorders #and #developmental #delay: #associations #with #parental #mental #health #and #family #functioning

Impairment of quality of life in parents of children and adolescents with pervasive developmental disorder

Mediators in the randomized trial of Child- and Family-Focused Cognitive-Behavioral Therapy for pediatric bipolar disorder.

Pervasive Developmental Disorder (PDD) symptoms and treatment

Conversations might often be one sided and focus on themselves. Only a handful of studies have examined parenting stress associated with pediatric psychiatric disorders, and even fewer have focused on caregivers of children with bipolar spectrum disorders BPSD. Conclusion Parents of children with PDDs seem to display a higher burden, probably for a combination of environmental and genetic factors.

Behaviour and emotional problems in toddlers with pervasive developmental disorders and developmental delay: associations with parental mental health and family functioning

Rice CE, Baio J, Van Naarden Braun K, Doernberg N, Meaney FJ, Kirby RS, ADDM Network: A public health collaboration for the surveillance of autism spectrum disorders.

The Presentation of Anxiety in Children with Pervasive Developmental Disorders

Psychostimulants including different formulations of Methylphenidate and Dexphetamines remain the primary medication of choice for management of ADHD in CYP for more than 60 years. Notably, certainty about mental states had the strongest association with parenting satisfaction. Background Individuals with borderline personality disorder BPD may experience additional challenges in their parenting role, including increased stress and lower self-efficacy and satisfaction.

The Presentation of Anxiety in Children with Pervasive Developmental Disorders

Child anxiety and disruptive behavior were associated with elevated caregiver stress only for non-BPSD children. American Journal of Public Health. Thus, findings may differ within a less acute sample.

Behavioural and emotional disorders in childhood: A brief overview for paediatricians

This might be seen as rejection. Life stress and the course of early-onset bipolar disorder.

Related Books

- [How to wrap five eggs - traditional Japanese packaging](#)
- [August 1944 - repere istorice](#)
- [Dancing gourmet - recipes to keep you on your toes](#)
- [North American radio-TV station guide](#)
- [Law of restitution](#)