

# Models of short-term memory

Psychology Press - Models of Memory



Description: -  
 -  
 United States -- Claims  
 Bills, Private -- United States  
 United States. -- Congress -- Private bills  
 Jews -- Italy -- History  
 Models, Psychological.  
 Memory, Short-Term.  
 Short-term memory. Models of short-term memory  
 -Models of short-term memory  
 Notes: Includes bibliographical references and index.  
 This edition was published in 1996



Filesize: 28.85 MB

Tags: #Models #Of #Short

## Coding in Short

Within the framework of the parallel and global-familiarity architectures, our detailed parametric investigations also suggested two main effects of the variables of set size and serial position.

## Short Term Memory

If memory scanning is indeed accomplished via a serial-exhaustive process when presentation rates are slowed, we would expect that the architecture might perform as well as or better than the global-familiarity and parallel models. Note that because the log-normal shifts to the right and grows more positively skewed as T POS increases, this mechanism could potentially allow the elaborated serial-exhaustive model to account for both effects of lag on the RT distributions. Fortunately, I found something that satisfied my comparative criteria, and I was the new owner of a nice, modern looking suit.

## Models of Memory

Instead, we adopt a descriptive approach in which the outcome of these detailed mechanisms is summarized in the form of the evidence accumulation parameters of the LBA decision process.

## Coding in Short

These findings were by data from neuroimaging and patient studies of the division between verbal and spatial information, which found that verbal tasks are mediated largely by left hemisphere neural regions, whereas the spatial task are relatively largely right lateralized. As has been observed in numerous past studies, mean RTs increased roughly linearly with set size, and the functions for targets and lures were roughly parallel to one another.

## Short Term Memory

These cues include associations, context and mood. In one 30 minute session, I got more accomplished in terms of structuring goals, building coping mechanisms, and recognizing thought patterns, than I had in the 6 months working with the other counselor. Where one item could be a

series of ten numbers for one person, another item could be a single letter for someone else.

### **Short**

The Computer Journal, 7, 308—313.

### **Models of Memory**

The evidence also indicates that the magnitude of the response thresholds varied with memory set size and with the positive or negative valence of the evidence accumulator. How to cite this article: Janse, B. But items only stay in short-term memory for up to around 18 seconds.

---

## Related Books

- [Recent developments in midrash research - proceedings of the 2002 and 2003 SBL Consultation on Midra](#)
- [Practical management of lipid disorders](#)
- [Regionalism in Asia](#)
- [Comparative study of cereal crop ecography of Jammu & Kashmir State and Tajikistan](#)
- [Fleurs et plantes \(en plein air\)..](#)