


# Vulnerable brain and environmental risks

Plenum Press - Environmental Influence on the Developing Brain



Description: -

-  
Land grants -- Virginia.  
Readers  
Protein-Energy Malnutrition -- complications.  
Neurotoxins.  
Nervous System Diseases -- chemically induced.  
Environmental Exposure.  
Neurotoxicology -- Environmental aspects.  
Neurotoxicology. Vulnerable brain and environmental risks  
-Vulnerable brain and environmental risks  
Notes: Includes bibliographical references and index.  
This edition was published in 1994



Filesize: 27.13 MB

Tags: #Brain #Cancer #Causes #& #Factors #That #Put #You #at #Risk

## COVID

Risk factors Although sudden infant death syndrome can strike any infant, researchers have identified several factors that might increase a baby's risk.

## Early Brain Development and Health

In many regions of the brain, the number of connections increases sharply in the first few months and years of life, and then gradually decreases to adult levels during puberty and adolescence.

## Report: Inequalities exacerbate climate impacts on poor

Low-income countries suffered the greatest losses, including economic costs estimated at 5 per cent of GDP. Here are some common effects.

## 5 Things to Know About Communities of Color and Environmental Justice

Yet, as we age, many of us are alone more often than when we were younger, leaving us vulnerable to social isolation and loneliness—and related health problems such as cognitive decline, depression, and heart disease.

## Environmental Factor

Galván has been exploring how individual differences might play out in the real world. Some conditions are easily treated with medication and therapy. The male but not female offspring of these cocaine-exposed rats inherited both epigenetic marks i.

## Health Effects of Exposures to Mercury

An NIH study of normal brain development linked SES to cortical thickness in regions including the prefrontal cortex, inferior cingulate gyrus and inferior frontal gyrus, she said. One caveat — if you're breast-feeding, wait to offer a pacifier until your baby is 3 to 4 weeks old and you've settled into a nursing routine.

## **A Delicate Balance: Risks, Rewards, and the Adolescent Brain**

Right Place, Wrong Brain The Ventral Tegmental Area VTA of the brain monitors social needs by releasing when we achieve social success and inspiring neurochemical deficits when we don't.

---

## Related Books

- [New framework of financial reporting and accountability in local government - issues for stakeholder](#)
- [Power electronics - converters, applications, and design](#)
- [Halb Preussen-halb Sachsen - DDR-Report.](#)
- [World game.](#)
- [Twentieth-Century Irish Literature \(Readers Guides to Essential Criticism\)](#)