

Lazerná diagnostika plazmy

Atomizdat - Staff View: Lazernaja diagnostika plazmy.



Description: -

-
Beetles -- North America.
Scarabaeidae.
Theater -- Ireland -- History
Plasma diagnostics
Laser interferometer Lazerná diagnostika plazmy
- Lazerná diagnostika plazmy
Notes: Bibliography: p. 404-[422]
This edition was published in 1976



Filesize: 61.54 MB

Tags: #Spectroscopic #diagnostics #of#plasma #of#electric #discharge #tub..

Spectroscopic diagnostics of plasma of electric discharge tub..

The range of unambiguously measured phase shifts is 1.

Plasma diagnostics in a pulse

IV Russian seminar; Sovremennye sredstva diagnostiki plazmy i ikh primenenie dlya kontrolya okruzhayushchej sredy. A homo-dyne technique for transferring phase measurements to an intermediate frequency is employed in the interferometer. V případě nejasností či dotazů nás neváhejte kontaktovat, rádi vám poradíme.

Spectroscopic diagnostics of plasma of electric discharge tub..

The design of the various Tokamak devices is described, as are the methods of plasma diagnostics employed with them .

A microwave two

Rychlý kotakt 771 188 559. Problems of measuring the electric fields in plasma, as well as different parameters of nonequilibrium molecular plasma are analysed in detail. Příjemný pro každého, včetně dětí.

Intraresonator laser diagnostics of plasmas; Vnutrirezonatornaya lazernaya diagnostika plazmy (Book)

Výrobky jsou certifikovány pro Evropskou unii a jsou ohlášeny na Státním ústavu kontroly léčiv České republiky. The liner-plasma shapes are visualized by detecting the intrinsic liner radiation in various wavelength ranges and actively probing liners in the visible and X-ray regions. IV Rossijskij seminar; Moscow Russian Federation ; 12-14 Nov 2003; 1 ref.

Related Books

- [Kylmardy zhylologen kúlór - ocherkter](#)
- [Labour productivity and living standards](#)
- [Dominique de Roux](#)
- [Fiore nel deserto - la crisi post-industriale dal punto di vista della transizione socialista](#)
- [En mi ciudad natal = In my natal city](#)