


The lower and critical zones of the western limb of the Bushveld Complex as intersected by the Nooitgedacht boreholes / by B. Teigler and H. V. Eales

Council for Geoscience (Geological Survey of South Africa) - Introduction to the special issue on the Flatreef PGE



Description: -

-

Bushveld Igneous Complex

Geology - South Africa The lower and critical zones of the western limb of the Bushveld Complex as intersected by the Nooitgedacht boreholes / by B. Teigler and H. V. Eales

- The lower and critical zones of the western limb of the Bushveld Complex as intersected by the Nooitgedacht boreholes / by B. Teigler and H. V. Eales

Notes: 11

This edition was published in -



Filesize: 58.89 MB

Tags: #Applications #of #LA

References principles of igneous and metamorphic petrology john winter second edition

Forward modeling using rhyolite-MELTS of proposed Bushveld parental magmas yields similar zircon saturation temperatures from melts of intermediate-silicic composition, representing less than ~15% remaining melt, and reproduces the observed mineral assemblages. A summary of critical relations in the central part of the Sierra Nevada batholith, California, USA.

Canadian Journal of Tropical Geography

Metamorphic grades in the Murchison and Eastern Goldfields greenstone belts range from prehnite-pumpellyite facies to upper amphibolite facies with lower to middle greenschist facies predominant.

Hybrid norite and the fate of argillaceous to anhydritic shales assimilated by Bushveld melts

Ashuanipi paragneiss provide ionprobe zircon ages of 3. The internal structure of the ZrO₈ dodecahedron is constructed of two distorted ZrO₄ tetrahedra — one shortened outlined in red and one elongated outlined in green.

DeepDyve

Results from crystallization of B3 parental Bushveld magmas using rhyolite-MELTS. The rocks of the Granulite Belt were metamorphosed at high temperatures and low to intermediate pressures.

Caveats in defining the magmas parental to the mafic rocks of the Bushveld Complex, and the manner of their emplacement: review and commentary, Mineralogical Magazine

Subduction of the Nazca plate beneath Peru: Evidence from spatial distribution of earthquakes. The model has been particularly popular for the Plateau of Lee ; McDonald and Holwell ; Holwell et al. Orthogneiss, mylonite and non-coaxial deformation of granites: The example of the South American Shear Zone.

Canadian Journal of Tropical Geography

Schematic diagrams showing the textural setting of zircon within three types of plagioclase cumulates in layered intrusions. Nfiki gneisses were subsequently intensely deformed with the development of major nappes, followed by upright folds and widespread dome-and-basin interference patterns.

Related Books

- [Thermal performance of walls equipped with transparent insulation](#)
- [World and its peoples: Greece, Cyprus, Mount Athos.](#)
- [Geteilte Dossier - Beobachtungen zu den Nachrichten über die Regierung des Kaisers Herakleios und d](#)
- [Guan yan ji - xuan gou, shi pu, liao xiao = Book of imperial birds nest](#)
- [Evolutionary approaches in the behavioral sciences - toward a better understanding of human nature](#)