


# Non-occupational exposure to mineral fibres

## International Agency for Research on Cancer - Evaluation of Alveolar Burden of Mineral Fibres in Cases of Occupational and Non Occupational Exposure to Asbestos

Description: -



United States -- Economic policy -- 1961-

United States -- Social policy.

Budget -- United States.

Arab-Israeli conflict.

Respiratory Tract Neoplasms -- etiology.

Minerals -- adverse effects.

Environmental Exposure.

Carcinogens, Environmental.

Environmentally induced diseases -- Congresses.

Carcinogens -- Congresses.

Mineral dusts -- Congresses. Non-occupational exposure to mineral fibres

-

12068.

EUR (Series) ;

Publication no. EUR 12068 of the Commission of the European Communities, Scientific and Technical Communication Unit, Directorate-General Telecommunications, Information Industries and Innovation, Luxembourg

no. 90

IARC scientific publications, Non-occupational exposure to mineral fibres

Notes: Includes bibliographical references and index.

This edition was published in 1989

Tags: #Comparison #of #fibre #types #and #size #distributions #in #lung #tissues #of #paraoccupational #and #occupational #cases #of #malignant #mesothelioma.



Filesize: 59.98 MB

## Mineral Fibres in Cases of Occupational and Non Occupational Exposure to Asbestos

Ann Occup Hyg 1987; 31: 429-439. Lung asbestos content in chrysotile workers with mesothelioma.

### Airborne mineral fibre levels in the non

We identified eight relevant studies; most were conducted in populations with relatively high exposure levels. A review of 70 serial cases.

### Comparison of fibre types and size distributions in lung tissues of paraoccupational and occupational cases of malignant mesothelioma.

Many asbestos materials are present in homes, and fibres may be released during home renovations or repairs.

### Airborne mineral fibre levels in the non

Airborne asbestos concentrations in buildings.

## Evaluation of Alveolar Burden of Mineral Fibres in Cases of Occupational and Non Occupational Exposure to Asbestos

Effets sur la Santé des Principaux Types d'Exposition à l'Amiante. Evidence exists suggesting that vehicle braking makes a significant contribution to ambient asbestos levels, but more data are required to establish its extent. Arch Environ Health 1991; 46: 306-309.

---

## Related Books

- [RYA syllabus and general information - Dayboats Motor launch and powerboats.](#)
- [Geological Notes in Explanation of the Tectonic Map of Australia.](#)
- [Ordre et les ténèbres - ou la naissance dun mythe du XVIIe siècle chez Sainte-Beuve.](#)
- [Digest of all the reported cases decided in the Superior and other courts of common law in Ireland -](#)
- [Na rumbakh boevogo bratstva - sbornik](#)