

Alcohol and primary health care

World Health Organization, Regional Office for Europe - Effectiveness of brief alcohol interventions in primary care populations

Description: -

-

Gems.

Latin language -- Syntax

Airframes.

Plates (Engineering) -- Vibration.

Christianity and politics -- History.

History -- Religious aspects -- Christianity -- History of doctrines.

Gogarten, Friedrich, 1887-1967.

Bultmann, Rudolf Karl, 1884-1976.

Law -- Venezuela -- History.

Law -- Venezuela.

Pink Floyd (Musical quartet)

Album covers

Genres & Styles - Rock

Design - General

Pictorial works

Rock

Sound recordings

Music

General

Music/Songbooks

Rock & pop

Graphic design

Water resources development -- Columbia River Valley.

Byzantine Empire -- History

History

World War, 1939-1945 -- Personal narratives, Jewish.

Majdanek (Concentration camp)

Singapore -- Politics and government -- 1965-1990.

Singapore -- Social conditions.

Ethnicity -- Singapore.

Minorities -- Singapore.

Educational sociology -- Russia (Federation)

Christian sociology -- History -- Early church, ca. 30-600.

Historical fiction, English -- History and criticism

English fiction -- 19th century -- History and criticism

Terrorism -- Prevention -- Fiction.

Jesus Christ -- Parables -- Study and teaching.

World War, 1939-1945 -- Naval operations, American.

USS Colorado (Battleship)

Consumer participation.

Primary health care -- Europe.

Alcoholism -- Prevention and control.

Community health services.

Primary health care -- Europe.

Alcoholism -- Prevention. Alcohol and primary health care

-


no. 64

WHO regional publications.

Publication series of the European alcohol action plan Alcohol and primary health care

Notes: Bibliography: p. 82-86.

This edition was published in 1996



Tags: #Effectiveness #of #brief
#interventions #in #primary #health #care
#settings #to #decrease #alcohol
#consumption #by #adult #non

Effectiveness of brief interventions in primary health care settings to decrease alcohol consumption by adult non

An integrated framework for the prevention and treatment of obesity and its related chronic diseases.

Primary health care and alcohol in: Slovenian Journal of Public Health Volume 50 Issue 3 (2011)

Around the world, drinkers with an alcohol use disorder harmful use or dependence tend to seek help late when significant harms have already occurred. Gray D, Wilson M, Allsop S, Siggers S, Wilkes E, Ober C. Brief interventions for problem drinking in a primary care setting.

Alcohol consumption and related problems among primary health care patients: WHO collaborative project on early detection of persons with



Filesize: 51.47 MB

Care Integration

The most recent global burden of disease analyses estimate that globally, there were between 63.

RACGP

GP billing for treatment of AADs is a strong measure of disease symptomology and potential service need among the population because GPs are the most accessible health service in both urban and rural areas. Problem drinking can be successfully treated with brief intervention by primary care physicians. Teasdale KE, Conigrave KM, Kiel KA, Freeburn B, Long G, Becker K.

Managing Alcohol Use Disorder in Primary Health Care

Most studies were conducted in general practice and emergency care.

harmful alcohol consumption

The European Region has the highest level of alcohol consumption and the highest prevalence of heavy episodic drinking 16.

Substance Use Disorders and Primary

Related Books

- [Experience of Cyprus in the development of rural tourism - problems and prospects](#)
- [Introduction à la vie littéraire du XVIII siècle](#)
- [Bonds of community - the lives of farm women in nineteenth-century New York](#)
- [Vocabulaire français-anglais des relations professionnelles = - Glossary of terms used in industria](#)
- [Research in education - a conceptual introduction](#)