

# Hair sheep of western Africa and the Americas - a genetic resource for the tropics

Westview Press - Performance of hair sheep composite breeds: Resistance of lambs to *Haemonchus contortus*<sup>1</sup>



Description: -

-

Literature and history -- Costa Rican.

Costa Rican poetry -- 20th century -- History and criticism

Hair sheep -- Tropics.

Hair sheep -- Africa, West.

Hair sheep -- America. Hair sheep of western Africa and the Americas - a genetic resource for the tropics

-

A Winrock International study Hair sheep of western Africa and the Americas - a genetic resource for the tropics

Notes: Includes bibliographies and index.

This edition was published in 1983



Filesize: 69.89 MB

Tags: #Genome

## Lucilia cuprina

Previous studies had been limited to only three of these breeds Angone, Bovine de Tete and Landim. The deepest divergence was estimated at only 800 generations, which appears to be an underestimate likely reflecting the influence of admixture.

## Sheep 201: Breed Selection

Results suggest that white and brown are co-dominant and both dominant to the other colors; white and spotted are the same variable; blackbelly behaves as a heterocigote; black is a possible homocigote recessive and independent to white.

## Articles about Raising Barbados Blackbelly Sheep

Fat-tailed or fat-rumped breeds make up about 25 percent of the world sheep population.

## Dorper Sheep: Truths and Myths

It is important to recognise that genome scans such as this, even when conducted using a meaningfully large number of loci and animals, have several limitations. Larvae are often found in shaded regions of carrion, while the adults prefer bright, open areas.

## Related Books

- [On the record](#)
- [Confusion and diffusion in local government - \(a case study from Eastern Nigeria\).](#)
- [Tipitaka Pali Myan ma abidan](#)
- [Lead and mercury levels in vegetation from strip-mined areas in eastern Ohio.](#)
- [Directory of media training opportunities 1981-82.](#)