


# Interface between the hospital and the community - the immediate discharge document : a minimum data set recommended for use in Scotland by the Scottish Intercollegiate Guidelines Network.

## Scottish Intercollegiate Guidelines Network - Implementation of an integrated preoperative care pathway and regional electronic clinical portal for preoperative assessment



Description: -

-  
Physicians (General practice) -- Scotland -- Correspondence.  
Hospitals -- Admission and discharge -- Scotland.  
Medical protocols -- Scotland. Interface between the hospital and the community - the immediate discharge document : a minimum data set recommended for use in Scotland by the Scottish Intercollegiate Guidelines Network.

-  
SIGN publication -- no. 5 Interface between the hospital and the community - the immediate discharge document : a minimum data set recommended for use in Scotland by the Scottish Intercollegiate Guidelines Network.

Notes: Includes bibliographical references.

This edition was published in 1996



Filesize: 53.87 MB

Tags: #Implementation #of #an #integrated #preoperative #care #pathway #and #regional #electronic #clinical #portal #for #preoperative #assessment

### Evidence-based clinical guidelines

The strain structure of A. Mental status may also be affected by alcohol or drug intake, as well as hypoglycemia, which should be treated immediately to prevent further damage.

### Treatment of infections caused by multidrug

There were methodological problems in the studies reviewed. Suggested algorithm for the treatment of MDR Gram-negative bacterial infections admitted to UK hospitals. One-year mortality was higher in the acute kidney injury group 20.

**Interface between the hospital and the community : the immediate discharge document. A minimum data set recommended for use in Scotland. Scottish Intercollegiate Guidelines Network. Pilot edition.**

Research and trials Consider parenteral fosfomycin, probably in combination, as part of salvage treatment for susceptible MDR GNB; clear indications for use are not yet established. For  $\beta$ -lactams, increasing the time above the MIC substantially decreases mortality.

### Italian guidelines on the assessment and management of pediatric head injury in the emergency department

Whilst the in vitro data support use of tigecycline in respiratory infection, there is poor correlation between the laboratory results and clinical outcome. Specific guideline implementation groups led by medical doctors were the most common implementation structure. In contrast to these

findings a study in Singapore associated increasing consumption of ertapenem with a rising incidence density of carbapenem-resistant P.

### **Evidence-based clinical guidelines**

By incorporating these guidelines into routine daily clinical practice, patient safety can be enhanced and the risk of patients acquiring an infection during episodes of health care in NHS hospitals in England can be minimised. Evidence There is a clear indication of association of infection with ESBL-producing E.

### **Italian guidelines on the assessment and management of pediatric head injury in the emergency department**

Carbapenem resistance in Enterobacteriaceae has been associated with increased attributable mortality, probably owing to the greater likelihood that initial empirical therapy proves inadequate.

## Related Books

- [Linguistic theory of language learning as related to machine teaching.](#)
- [Hindū](#)
- [J. G. Jacobis sämtliche Werke.](#)
- [Traditional spiritualities and the education of the Catholic adult](#)
- [Derecho marítimo privado italiano.](#)