


Holz-Wörterbuch. - Dictionary of wood and woodworking practice.

Bauverlag - Sam Allen's Dictionary of Woodworking Terms



Description: -

-
Television
Science/Mathematics
Television Engineering
Television technology
English language -- Dictionaries -- German.
Woodwork -- Dictionaries.
Wood -- Dictionaries.
German language -- Dictionaries -- English.
Woodwork -- Dictionaries -- German.
Wood -- Dictionaries -- German.Holz-Wörterbuch. - Dictionary of wood and woodworking practice.
-Holz-Wörterbuch. - Dictionary of wood and woodworking practice.
Notes: Preface and introduction in English and German.
This edition was published in 1967



Filesize: 42.106 MB

Tags: #CAB #Direct

Sam Allen's Dictionary of Woodworking Terms

C cabinet scraper A scraper with a cast-iron body that holds a scraper blade. They are used to tint or color finishing products. The two most common grades are underlayment and industrial.

Dictionary of Woodworking Terms

See: bow, crook, cup, and twist water stain A clear, permanent aniline dye stain that uses water as its solvent. Ones that are carbide tipped will stay sharp longer and produce a smoother cut Sander-Used for smoothing wood can be as simple as a block of wood to as complex and an industrial belt or drum sander that will sand the width of a sheet of plywood in one pass Scrapers cabinet-Thin sheets of steel that come in various shapes that are hand held and used for scraping and smoothing the surface of wood Scrapers handled-Scraper blade that is secured in a handled cast-iron body the blade is given a slight bend by a thumbscrew the slight bow in the blade keeps its corners from digging into the wood Screw carver's-Small device used by carvers to hold their work onto the bench one end has a wood screw that is fastened into the wood, the other end is passed through a hole in the bench Smoothing planes-Bench plane that is used mainly for cleaning up after the jack plane has been used Spokeshaves-Hand held device in which the adjustable cutter is held in place by screw fittings there is a screw that is turned to adjust the depth of cut spokeshaves were originally used by wheelwrights and barrelmakers Square-Tool used to check the squareness of boards and carcasses the combination square has a sliding head that is 90° on one side and 45° on the other Straight-edge-Strip of wood or metal that is dead straight it is used to check the straightness of surfaces and also can be clamped to a surface or board and used as a cutting guide Table vise-Small metal engineer's vise that is intended to be fitted to the edge of a table Tack rag-A piece of lint-free rag that has been coated with a solution that will remove sanding dust and other debris from a surface prior to or between coats during finishing Tail stock-The stock of a lathe that can be moved along the length of the bed to accept different lengths of stock Tail vise-A vise that is fixed at the end of a bench. It is a form of silica derived from quartz.

Sam Allen's Dictionary of Woodworking Terms

It should be thinned before mixing with the finish. Copyright Sam Allen 1998-2013 Search for the books or tools you want by entering a keyword in the box below. It is a dark brown color.

Sam Allen's Dictionary of Woodworking Terms

It is very resistant to chemicals and it retains its gloss longer than most finishes under hard wear.

Related Books

- [Materials for missiles and spacecraft](#)
- [Economics and social impact of credit institutions on agricultural development in Iran](#)
- [Latin American and Iberian pamphlets.](#)
- [Greengage summer](#)
- [Manufactories and manufacturers of Pennsylvania of the nineteenth century.](#)