

HyperCard stack design guidelines

Addison-Wesley Pub. Co. - All Hyped Up for HyperCard: Further Adventures with an Apple Legacy Format



Description: -

-

Elections -- South Africa -- Johannesburg -- Statistics.
Names, Personal -- Bulgarian.
Kim, Wŏn-il, -- 1942- -- Criticism and interpretation.
Niagara Escarpment -- Guidebooks
Bruce Trail (Ont.) -- Guidebooks.
Trails -- Ontario -- Niagara Escarpment
Macintosh (Computer) -- Programming
HyperCard (Computer file)HyperCard stack design guidelines
-HyperCard stack design guidelines
Notes: Includes bibliographical references (p. 205-217)
This edition was published in 1989



Filesize: 38.13 MB

Tags: #HyperCard

HyperCard

Despite its relatively humble appearance, the potential uses of HyperCard were extensive.

Hypercard Stack Design Guidelines : Amazon.sg: Books

One common use for the target function is to handle situations in which there is a handler for a certain message at the stack level, but that handler is only intended to deal with messages from certain objects. Message Handlers A message handler is analogous to a procedure in Pascal, or to a subroutine in BASIC.

HyperCard: An Object

If you suspect that a variable value is not what you expected, place this line at an opportune point in your script: put myVariable Such lines allow you to keep close track of the values of variables, properties, and anything else you fear might be causing problems. Although it relates to a discontinued software and has been published in the 1989, this book will serve very well people who: - still use Hypercard. The items of each line correspond to the three squares in a row.

HyperCard

For example, suppose you want to intercept all visual effect commands in a stack and replace them by dissolves. For instance, you may have a script that lets users create pop-up notes by clicking a button. JAWS is a trademark of Universal City Studios.

Hypercard Stack Design Guidelines : Amazon.sg: Books

There are several methods you can use. Ironically, these blind spots makes it impossible for you to completely test your own work. In 1986, Dan Winkler began work on and the name was changed to HyperCard for reasons.

iTour Design Guidelines

A problem with your script may show itself at any of several stages in script development. You can also define your own functions for special purposes. Elegant programs accomplish a great deal with seeming simplicity.

HyperCard

One of the simplest is to place a beep command at a strategic point in the handler under investigation. This section presents small scripts and other tricks that can be used to make development easier.

Related Books

- [Runoff and water-quality characteristics of surface-mined lands in Illinois](#)
- [Partnering implementation guide - building communication.](#)
- [Silenced drums - a review of tribal economic development](#)
- [Kambodscha, Land der sanften Mörder - ein Bericht aus Indochina](#)
- [Speculum matricis by James Wolveridge - one of the rarest books on midwifery](#)