


Moths of the British Isles

Frederick Warne - The Moths of the British Isles/Chapter 1



Description: -
-moths of the British Isles
-
Sovereign
Biblioteca de historia -- 16-17
Colección de estudios (Universidad Autónoma de Madrid) -- 61.
Colección de estudios -- 61
[Spanish street plays] -- 790
The wayside and woodland seriesmoths of the British Isles
Notes: Includes index.
This edition was published in 1923



Filesize: 5.81 MB

Tags: #UKMoths

Moths of the British Isles Vintage Book Collection on CD 12

The spiracles are blackish; the body is dotted, and the last rings are clouded with blackish. He also mentioned that 1895 was the fourth year out of five that the insect had occurred there.

Guide to the Hawkmoths of the British Isles

At a meeting of the Entomological Society of London held in October, 1876, a letter was read from Mr.

Checklist of the Lepidoptera of the British Isles

When full grown the head is crimson red, marked on the crown with black; the body is black, but so thickly sprinkled with yellow dots that much of the black colour is obscured; the larger spots are often crimson, but sometimes they are yellow, or even cream coloured; the stripes along the back and below the yellow spiracles are crimson, as also are the legs and feet; the spiny horn is crimson with a black tip. The hindwings have a sharply angled giving the moth a very distinctive shape.

The Colour Identification Guide to Moths of the British Isles

The perfect insect sits upon tree trunks, chiefly pine, often well within reach, although sometimes its position is fourteen or {36} fifteen feet up the trunk. Inscriptions to front pastedown and endpaper.

20 Moth Species More Beautiful Than Butterflies

The moth appears in May and June as a rule, but in backward seasons it may not emerge until July or even August.

Bird

It has been recorded from the most southern counties of Scotland, and Kane states that in Ireland it is widely distributed but usually scarce. The fore wings are pale greyish with a whitish edged, broad, dark central band; two black dots on the outer edge of the band distinguish this species

from the next.

Checklist of the Lepidoptera of the British Isles

As a general rule it is no doubt best to confine ourselves to one thing at a time, if the results are to be satisfactory and the work well done. Heavy tanning and foxing to pages and text block edges. On Plate are three slightly different examples of this moth.

Related Books

- [New comics](#)
- [Cortegiano del conte Baldesar Castiglione](#)
- [Canattokai/kutumpattiŋtat toŋarpu kalaic corrokuti = - Glossary of technical terms, populatio](#)
- [Atlas of American history](#)
- [Seconde République dans la Nièvre, 1848-1852 - des journées de février à la proclamation de l'Em](#)