# Abdominal gray scale ultrasonography

Wiley - Ultrasound evaluation of abdominal aortic aneurysms

Description: -

-

BL Lacertae objects -- Congresses.
Abdomen.
Ultrasonics -- Diagnostic use.
Abdomen -- Ultrasonic imaging.Abdominal gray scale ultrasonography

-

A Wiley medical publication
Wiley series in diagnostic and therapeutic radiologyAbdominal gray scale ultrasonography
Notes: Includes bibliographical references and index.
This edition was published in 1977

Filesize: 22.84 MB

Tags: #Two

Diagnostic accuracy of gray

Cytologic evaluation was used as the gold standard. A dilated duct in the presence of obstructive symptoms is highly suggestive of choledocholithiasis and can be confirmed by the presence of echogenic stones with distal acoustic shadows on ultrasonography. Each pixel is a particular shade of gray depending on the strength of the returning ultrasound signal.

Ultrasound evaluation of abdominal aortic aneurysms

Ultrasonography is a safe, portable, and noninvasive technique without deleterious side effects.

Two

Doppler signals disappear when gangrene or perforation is present. Kudo M 2016 Defect Reperfusion Imaging with Sonazoid: A Breakthrough in Hepatocellular Carcinoma. Following a systematic assessment of all parts of the abdomen, attention should be focused on the area where the pain is most severe.

Grey scale imaging (ultrasound)

The data obtained ultrasonographically was determined to be useful in diagnosing adrenal neoplasia. The formation of a B-mode image relies on the pulse-echo principle; assuming the speed of sound remains constant, the position of a target of interest may be inferred by the time taken from emission to its return to the transducer. The data obtained ultrasonographically was determined to be useful in diagnosing adrenal neoplasia.

Related Books