


Post-harvest technology, preservation and quality of fish in Southeast Asia - November 13-17, 1989, Bangkok, Thailand

International Foundation for Science - Effects of landscape features on population genetic variation of a tropical stream fish, Stone lapping minnow, *Garra cambodgiensis*, in the upper Nan River drainage basin, northern Thailand [PeerJ]



Description: -

-Post-harvest technology, preservation and quality of fish in Southeast Asia - November 13-17, 1989, Bangkok, Thailand

-Post-harvest technology, preservation and quality of fish in Southeast Asia - November 13-17, 1989, Bangkok, Thailand

Notes: Proceedings of the Workshop on Post-harvest Technology, Preservation and Quality of Fish in Southeast Asia (reverse t.p.).

This edition was published in 1990



Filesize: 9.101 MB

Tags: #Tropical #Mariculture #and #Coastal #Environmental #Integrity

Overcoming the impacts of aquaculture on the coastal zone

Integrated Pest Management: Farmer Field Schools Generate Sustainable Practices. Heong, Nguyen Thi Thu Cuc, Nguyen Binh, S. Figure 1: Locations of population samples of *Garra cambodgiensis* in the upper Nan River drainage basin, Thailand taken from November—December 2016.

5. Fish Processing and Preservation

Mr Thiagarajan plays an active role in various industry fora, and is the Past President of Refrigeration and Air Conditioning Manufacturers Association RAMA. Wageningen, Veenman Drukkers, 304 pages. Meeting was held in Goiania, Goias, Brazil, 3-9 April 1983.

Ensiling of Golden Apple snails (*Pomacea canaliculata*) and growth performance of African catfish (*Clarias gariepinus*) fingerlings fed diets with raw and ensiled Golden Apple snails as protein source

The Food and Agriculture Organization of the United Nations FAO has estimated that in some developing countries, postharvest losses of fish exceed those of any other commodity, often surpassing 50 percent of the landed catch.

Overcoming the impacts of aquaculture on the coastal zone

This program was successful, and Malaysia achieved impressive economic growth, especially during the late 1970s, and throughout the 1980s. Fish silage has also been studied as a source of protein for poultry and swine.

Mangifera indica (mango)

Beinecke was appointed by President Obama to the National Commission on the BP Deepwater Horizon Oil Spill and Offshore Drilling.

Tropical Mariculture and Coastal Environmental Integrity

Shelf life may range from a few days to 3 months, depending on the amount of salt and the container seal.

World Sustainable Development Summit (WSDS) 2021

Religious courts decide questions of and custom. Wageningen, Netherlands: Plant Resources of Tropical Africa.

Related Books

- [Readers guide to The Great Gatsby - plot materials.](#)
- [Khayl 'inda al-'Arab-- 'izz wa-kibriyā'](#)
- [Theology and canon law - the theories of Klaus Mörsdorf and Eugenio Corecco](#)
- [Rośliny wydł](#)
- [Über das schwache Präteritum des Germanischen und verwandte Bildungen der Schwestersprachen. - Ein](#)