


Oceanography and marine environment of the Basque Country

Elsevier - Contributions on AMBI made by the AZTI's team



Description: -

-

Entomology -- Periodicals

Sedimentology -- Biscay, Bay of (France and Spain)

Marine ecology -- Biscay, Bay of (France and Spain)

Oceanography -- Biscay, Bay of (France and Spain) Oceanography and marine environment of the Basque Country

-

70

Elsevier oceanography series ; Oceanography and marine environment of the Basque Country

Notes: Includes bibliographical references and indexes.

This edition was published in 2004



Filesize: 30.14 MB

Tags: #Book #review: #Borja, #A. #and #M. #Collins #(eds.). #2004. #Oceanography #and #Marine #Environment #of #the #Basque #Country

Marine Environment+ (MER+)

The effects of these measures are regularly monitored Salvat et al. Hence, in the N-NW, bandwidth reached 3 m above LAT, compared with just 1. BIOTIC - Biological traits information catalogue.

Marine Environment+ (MER+)

However, the occupation by invertebrates of freshwater habitats, especially those within the substrate, took a remarkably long time, and it was not until the Mesozoic that a significant range of originally marine groups developed the necessary osmoregulatory, reproductive, and dispersal capacities to occupy freshwater environments. Finally, all the five species of turtles found in French Polynesia waters thus far have been protected since 1971 although poaching is rampant in all archipelagos. The five other atolls of the Fakarava MAB reserve have similar zoning.

Long

If you decide to participate, a new browser tab will open so you can complete the survey after you have completed your visit to this website.

Knovel

The illustrations are mostly very good, but there are cases with weak grey-scale contrasts which have caused loss of details during printing. Using niche models he notably projects the distribution by 2100 of a large number of marine species, including mammals and some invertebrates, thus highlighting the expected changes in global marine biogeography. The reconstructed catch data help improve our understanding of the changes in global catches and their relationship with fishing and environmental drivers since the 1950s.

Protection of the goose barnacle *Pollicipes pollicipes*, Gmelin, 1790 population: the Gaztelugatxe Marine Reserve (Basque Country, northern Spain)

By doing that, the chapter demonstrates the importance of the south-eastern coastal waters of the Bay of Biscay as habitats for spawning and

larval growth in many fish populations. The comments of two anonymous reviewers improved the final contribution.

Related Books

- [De Gaulle - generalen som var Frankrike](#)
- [Forgotten five million - women in public employment : a guide to eliminating sex discrimination](#)
- [Mosbys nursing drug reference](#)
- [Snapshots of the past](#)
- [Notes for authors on the preparation of typescripts and the correction of proofs.](#)