


Integrated national sample survey system for Uganda - research report

Institute of Statistics and Applied Economics, Makerere University - The DHS Program



Description: -

Employees, Training of -- Great Britain.
Occupational training -- Great Britain.
Vocational education -- Great Britain.
Uganda -- Statistical services.
Social surveys -- Uganda.
Sampling (Statistics)integrated national sample survey system for
Uganda - research report
-integrated national sample survey system for Uganda - research
report

Notes: Bibliography: p. 43-46.

This edition was published in 1980



Filesize: 8.61 MB

Tags: #Full #Research #Reports

IPUMS International

The NMCP in partnership with other MoH programs, is also training clinical health workers at HC II and III on iCCM. NASS does maintain a number of potential farm records on the list frame that are screened on a regular basis for agricultural activity. This report presents the results of an environmental scan conducted by AIR to serve as a foundation for the development of the Guide to Patient and Family Engagement.

4 Sample and Questionnaire Design

Center for the Clinical Trials Network The Center for Clinical Trials Network CCTN manages NIDA's National Drug Abuse Treatment Clinical Trials Network CTN , a multi-site research project of behavioral, pharmacological, and integrated treatment interventions to determine effectiveness across a broad range of community-based treatment settings and diversified patient populations.

IPUMS International

NIDA, in collaboration with the pharmaceutical industry, supported the development of this medication, which can be prescribed in a physician's office. NASS is considering several changes to ARMS sampling in the future. FANTA 2 also defines food security as having both physical and economic access to sufficient, safe, and nutritious food.

The DHS Program

It documents much progress, with the proportion of underweight children falling by 11 percentage points to 14% through mid-2015.

Full Research Reports

The initiative, called will follow more than 40,000 people with a focus on users of tobacco-products and those at risk for tobacco product use ages 12 and older in the United States. Consuming cassava as a staple food places children 2-5 years old at risk for inadequate protein intake, an observational study in Kenya and Nigeria. Another study in Uganda shows that stunting is more likely with less educated mothers but only in rural

areas.

Data.gov

Although the few reviews of record-keeping practices that have been conducted have been relatively informal and based on very small samples, they are disquieting in that they cast doubt on the quality of the responses to several key data items in the ARMS. NIDA Directors Name In Office from To Robert L. The target population defines the frame, which, in turn, plays an important role in defining the design of the survey.

Related Books

- [Illustrated introduction to Latin epigraphy](#)
- [OMNITAB - a computer program for statistical and numerical analysis](#)
- [Development of low-cost residential sprinkler protection - a technical report](#)
- [London government and the welfare services.](#)
- [Race to the year 2000.](#)