

Hermaphrodisme Protérandrique Chez Une Crevette de la Famille des Crangonides, Argis Dentata Rathbun.

s.n - Evaluation of Alternative Life History Hypotheses for the Sand Shrimp Crangon Franciscorum (Decapoda: Caridea)



Description: -

-Hermaphrodisme Protérandrique Chez Une Crevette de la Famille des Crangonides, Argis Dentata Rathbun.

-

Bd. 124

IPA-IAO Forschung und Praxis ;

Québec travaux sur les pêcheries du Québec -- 39Hermaphrodisme

Protérandrique Chez Une Crevette de la Famille des Crangonides,

Argis Dentata Rathbun.

Notes: 1

This edition was published in 1971



Filesize: 26.13 MB

Tags: #Effects #of #androgenic #gland #ablation #on #male #primary #and #secondary #sexual #characteristics #in #the #Malaysian #prawn, #Macrobrachium #rosenbergii #(de #Man) #(Decapoda, #Palaemonidae), #with #first #evidence #of #induced #feminization #in #a #nonhermaphroditic #decapod

Full text of Biological

CRUSTACEA COPEPODA : PACIFIC PUGET SOUND , AMI. Histological sections of the gonad.

Persistence of reduced androgenic glands after protandric sex change suggests a basis for simultaneous hermaphroditism in a caridean shrimp.

TOM DISTRIBUTION AND FLUCTUATIONS OF THE HAKE FISHERY OF THE ATLANTIC COAST. Such individuals are capable of successfully mating as males, while also reproducing as females e. MANGUM, The College of William and Mary SEYMOUR ZIGMAN, University of Rochester Editor: CHARLES B.

Argis (crustacé)

Oocyte development in the kuruma prawn *Penaeus japonicus*.

Observations on the Growth of the Sculptured Shrimp *Sclerocrangon boreas* (Decapoda: Caridea)

A LIST OF SHELLS DREDGED ON THE WEST COAST OF DAVIS'S STRAIT, WITH NOTES AND DESCRIPTIONS OF EIGHT NEW SPECIES ANN MAG NAT HIST.

Evaluation of Alternative Life History Hypotheses for the Sand Shrimp *Crangon franciscorum* (Decapoda: Caridea)

For comparison of AG size among individuals, height and length of two sides, as shown in Figure ID, were made, using an ocular micrometer, and

summed for each individual. Plankton nets filtered the run-off from the outlets.

Redescription of a Little Known Crangonid Shrimp, *Metacrangon laevis* (Yokoya, 1933) (Decapoda, Caridea) From Hokkaido, Japan, Crustaceana

SUPPLEMENTARY RECORDS OF UNIONACEA FROM NOVA SCOTIA WITH A DISCUSSION OF THE IDENTITY OF ANODONTA FRAGILES LAMARCK. The temperate species *Alcyonium digitatum* releases gametes, and A. Finally, in the perspective of mass cultures, information is needed on the putative cannibalistic habit of the species see.

Argis (crustacé) — Wikipédia

Par le passé, des bibliographes se sont efforcés de réunir l'information sur ces animaux mais, dans la plupart des cas, ont limité leurs travaux à un groupe taxinomique, à une zone écologique ou à un sujet particulier.

Related Books

- [Da qian xi](#)
- [Media in an American crisis - studies of September 11, 2001](#)
- [Strafrecht voor de praktijk - het wetboek van strafrecht en de opsporingsambtenaar](#)
- [Rodin - dessins et aquarelles des collections suisses et du Musée Rodin](#)
- [Bases para una nueva política de fronteras](#)