


Survey to evaluate general practitioners perceptions of the role of the chiroprapist within a primary healthcare team.

University of Central England in Birmingham - 7.10 Role of health professionals and social services



Description: -

-survey to evaluate general practitioners perceptions of the role of the chiroprapist within a primary healthcare team

-survey to evaluate general practitioners perceptions of the role of the chiroprapist within a primary healthcare team

Notes: Thesis (M.A.)-University of Central England in Birmingham,1999.

This edition was published in 1999



Filesize: 8.94 MB

Tags: #Perceptions #of #pharmacists' #roles #in #the #era #of #expanding #scopes #of #practice

A qualitative evaluation of general practitioners' perceptions regarding access to medicines in New Zealand

Jaye C: Doing qualitative research in general practice: methodological utility and engagement. This limitation was offset by conducting a literature research with the aim of including all known important aspects.

A qualitative evaluation of general practitioners' perceptions regarding access to medicines in New Zealand

Sole supply and the perceived risk of drug shortages were raised as an issue by GPs in this research.

Evaluating patient satisfaction with nurse practitioners

Italian professional In almost every country GPs are expected to perform preventative activities on top of curative ones.

Perceptions of pharmacists' roles in the era of expanding scopes of practice

In its NHS Long-Term Plan, NHS England 2019 explains that it aims to increase the number of ACPs and develop multidisciplinary teams to give GPs more time to focus on complex cases Charles et al, 2019.

Perceptions of quality in primary health care: perspectives of patients and professionals based on focus group discussions

Addictive Behaviors, 2011; 36 12 :1369—72. Promoting tobacco dependence treatment in nursing education.

Perceptions of pharmacists' roles in the era of expanding scopes of practice

Morgan DL: The Focus Group Guidebook. Very strict conclusions are difficult to be drawn from a qualitative analysis. Ford P, Tran P, Keen B, and Gartner C.

7.10 Role of health professionals and social services

Emergency department initiated treatments for tobacco: A pilot study. Emergency Medicine Australasia : EMA, 2010; 22 4 :260—2.

Perceptions, attitudes and training needs of primary healthcare professionals in identifying and managing frailty: a qualitative study

Engagement There was evidence of personal commitment from GPs to engage with EGP. The authors of this article considered focus group discussions more suitable than one-by-one interviews.

Related Books

- [Advanced least squaresapplied to position fixing](#)
- [Elementary general relativity](#)
- [Classic readings in sociology](#)
- [Market survey of information needs & priorities, information sources utilization, public library ser](#)
- [Maîtrise de la fécondité et planification familiale au Sud - actes des Ve Journées démographiques](#)