

Preobrazovanie i vosstanovlenie razryvov v zadachakh tomograficheskogo tipa

Akademiia nauk SSSR, Sibirskoe otd-nie, In-t geologii i geofiziki - Palamodov, V. P. (Viktor Pavlovich) [WorldCat Identities]



Description: -

-

Pharmacy -- Czech Republic -- Prague

Pharmacy -- Tables, calculations, etc.

Seismic tomography.

Faults (Geology)Preobrazovanie i vosstanovlenie razryvov v zadachakh tomograficheskogo tipa

-Preobrazovanie i vosstanovlenie razryvov v zadachakh tomograficheskogo tipa

Notes: Includes bibliographical references (p. 99).

This edition was published in 1988



Filesize: 16.41 MB

Tags: #190335167

Palamodov, V. P. (Viktor Pavlovich) [WorldCat Identities]

We then obtained frequency-dependent estimates of attenuation by minimizing the misfit of the real parts to a damped Bessel function. To address these limitations, we developed a compact ocean bottom electromagnetic receiver and seismometer OBEMS.

Bibliographies : « Seismic waves. Ocean bottom Faults (Geology) »

Саммита Геофизические методы изучения земной юры С6. Extension is typically accommodated by earthquakes within the upper crust. Finally, temporal changes around the Parkfield section of SAF are studied using recently developed ambient noise cross-correlation technique.

Bibliographies : « Seismic waves. Ocean bottom Faults (Geology) »

In comparison, weak velocity contrast ~0-2% near the epicenter of the 2004 Parkfield M6 earthquake i. This thesis presents a novel technique that allows for the rapid identification of kinematic indicators in two 3D seismic datasets from the Levant Basin, Eastern Mediterranean, which enables the displacement distribution of strike-slip faults to be analysed beyond what has been accomplished by traditional field-based studies. In this work, radiative transfer RT theory is proposed for the first time as a tool for the study of seabed acoustic scattering.

190335167

It then deals with reconstructions from data of ray circle integrals.

190335167

Furthermore, the geometry of the naturally occurring examples presented here, shows distinct differences from analogue studies, and suggests future work should be applied to understanding what controls these discrepancies. OBS data collected during commercial seismic surveys in

Australian waters prove that it is possible to image the velocity distribution of the whole crust and upper mantle from analysis of both reflected and refracted phases generated by an industry-standard broadband airgun array.

69856157

Cliquez sur ce bouton, et nous générerons automatiquement la référence bibliographique pour la source choisie selon votre style de citation préféré : APA, MLA, Harvard, Vancouver, Chicago, etc. Сейсмические исследования литосферы Сибири : избранные труды Сейсмология в Сибири на рубеже тысячелетий Стихи. However, where extension occurs at a slow rate, the small number of historically recorded earthquakes likely provides an incomplete view of the potential magnitude range of events, limiting seismic hazard knowledge and the understanding of rift dynamics.

Related Books

- [Wie links können Journalisten sein ? Pressefreiheit und Profit.](#)
- [Sociology for Canadians - images of society](#)
- [Genetics and the social behavior of the dog - by John Paul Scott and John L. Fuller.](#)
- [Creative controversy - intellectual challenge in the classroom](#)
- [Origins of some modern sports.](#)