


Control of insect pests and diseases of strawberries in Oregon

Agricultural Experiment Station, Oregon State College - Managing Diseases and Insects in Home Orchards



Description: -

-

Strawberries -- Diseases and pests -- Oregon. Control of insect pests and diseases of strawberries in Oregon

-

Post-contemporary interventions

American culture series -- 452.6.

Station bulletin (Oregon State College. Agricultural Experiment Station) -- 419.

Station bulletin -- 419. Control of insect pests and diseases of strawberries in Oregon

Notes: SHORT ANALYTIC RECORD, NO OCLC COPY AS OF 7-2002, LAW.

This edition was published in -



Filesize: 63.18 MB

Tags: #Managing #Diseases #and #Insects #in #Home #Orchards

State of Oregon: Insects

Row covers can also be used to protect the fruit from birds when fruiting. Most people either lack the knowledge to identify and control insect pests and diseases, or they dread having to spray chemicals to protect their crops.

Oregon Secretary of State Administrative Rules

Others have said they are not and are dangerous to eat. Check with your local Extension agent if you are not sure.

Managing Diseases and Insects in Home Orchards

Insect, disease and weed management resources are highlighted below. In each area of the country, certain diseases and pests tend to dominate depending on climate and other regional influences.

Oregon Secretary of State Administrative Rules

Mixing them together or using one right after the other can cause plant damage.

Biodiversity & Pest Management

Leaf spot *Mycosphaerella* leaf spot *Mycosphaerella fragariae* Irregularly shaped holes in leaves and stems; rough holes in ripe fruit; if infestation is severe, leaves may be shredded; slime trails present on rocks, walkways, soil and plant foliage; several slug and snail species are common garden pests; slugs are dark gray to black in color and can range in size from 2. Wear rubber gloves and protect your eyes from spilling or splashing chemicals. Pears Time of application Insect or disease Materials or practices Late winter dormant Scab and other diseases Prune properly to open trees and improve air circulation.

Biodiversity & Pest Management

Pinch off any flowers as they are produced. You may know kiwifruit by what you see in the grocery store: a fuzzy brown egg-shaped fruit with green or golden flesh. Cause Management If beetles were a problem in the previous year, use floating row covers to protect plants or spray kaolin clay; adult beetles can be hand picked from plants and destroyed by placing in soapy water; parasitic nematodes can be applied to soil to reduce the number of overwintering grubs; insecticidal soaps or neem oil can help reduce beetle populations.

Insect pests and diseases of strawberry in Oregon (1944 edition)

Do not use sulfur products on apricots. Never apply pesticides when winds will cause the chemical to drift off the target area or when temperatures exceed 85°F. Never eat or smoke when using pesticides.

Related Books

- [Addenda und Corrigenda \(III\) zum althochdeutschen Wortschatz](#)
- [Managers bookshelf - a mosaic of contemporary views](#)
- [Taxila - an illustrated account of archaeological excavations carried out at Taxila under the orders](#)
- [From Abbey to Zorra via Bagdad - Canadian Pacific Railway passenger services in the 1950s](#)
- [Sprachstrukturen und Sprachprozesse - Studien zur Repräsentation und Simulation grammatischen Wisse](#)