


Suicidal behaviour

Rapid Communications – Suicidal Behaviors



Description: -

- Suicidal behaviour

-

International clinical psychopharmacology. Supplements -- vol.6/6 Suicidal behaviour

Notes: Proceedings of a symposium for psychiatrists held in March 1991 supported by Dista Psychiatric Education Services.

This edition was published in 1992



Filesize: 32.101 MB

Tags: #Suicide: #Suicidal #Signs, #Behavior, #Risk #Factors, #How #to #Talk #& #More

Suicidal Ideation: Symptoms, Diagnosis, Treatment, Coping

Baldessarini MD, in , 2021 Abstract Suicidal behavior is strongly associated with depression, especially with dysphoric agitation, a bipolar diagnosis, and recent hospital discharge. The time course prior to a suicide attempt can be quite variable, ranging from many months of suicidal ideation to only several days or even hours.

Suicidal behaviour

Suicidal behaviour

You may feel embarrassed to seek treatment for mental health problems, but getting the right treatment for depression, substance misuse or another underlying problem will make you feel better about life — and help keep you safe. Published by Houghton Mifflin Company. Self-esteem, which is an important marker of psychological vulnerability in young adults has also been associated with suicidal thoughts.

Suicidal Behaviors

These factors included sociodemographic data, lifestyle, substance use, childhood trauma, and personal and family history of suicidal behaviours.

Suicide and suicidal thoughts

Mood-altering substances are a factor in suicide because they weaken a person's impulse control. Antisuicidal effects probably are greater with lithium than with anticonvulsant mood stabilizers.

Related Books

- [Moi liubeznye konfidenty](#)
- [Sediment oxygen demand in Lake Ewauna and the Klamath River, Oregon, June 2003](#)
- [Silk card.](#)
- [Los espías de madera](#)
- [English tone of voice - essays in intonation, prosody and paralanguage](#)