


# Symposium on Antinucleon-Nucleon Interactions, Liblice-Prague, 25-28 June 1974 - proceedings

CERN, European Organization for Nuclear Research - (PDF) Sto českých vědců v exilu. Encyklopedie významných vědců z řad pracovníků Československé akademie věd v emigraci. [One hundred Czech scholars in exile. Dictionary of foremost Czech emigré scholars coming from the Czechoslovak academy of sciences.] Praha: Academia, 2011.



Description: -

-

Antimatter -- Congresses.

Proton-antiproton annihilation -- Congresses.

Nucleon-antinucleon interactions -- Congresses.Symposium on

Antinucleon-Nucleon Interactions, Liblice-Prague, 25-28 June 1974

- proceedings

-

74-18.

CERN (Series) ;

74-18

CERN ;Symposium on Antinucleon-Nucleon Interactions, Liblice-

Prague, 25-28 June 1974 - proceedings

Notes: Includes bibliographical references.

This edition was published in 1974



Filesize: 46.46 MB

Tags: #Invited #Talks

## pp Partial

. Close analysis of dependence of fission fragment distribution on compound nucleus excitation energy gave us some explanation of the phenomenon. In addition, along with the polarization transfer from one partner to another, the magnetic resonance lines of colliding atoms are broadened and shifted in spin-exchange collisions.

## Particle multiplicity distributions in decays of $J/\psi$ and $\eta$ 's

The rechargeable batteries such as NiCd or NiMH with 1 AH capacity can run the TAH for 30-45 min.

## Particle multiplicity distributions in decays of $J/\psi$ and $\eta$ 's

This experiment requires the full spectrum of neutron energies and can therefore only be performed at a small number of facilities in the world. The large degree of degeneracy present in the spherical oscillator is lost as the potential is deformed.

## Group Theoretical Methods in Physics: Proceedings of the XVIII International Colloquium Held at Moscow, Ussr, 4

We present numerical examples that demonstrate the robustness of the new method for Lagrangian equations on a variety of grids and test problems including polygonal meshes. The presence of the past: Shakespeare in South Africa.

## pp Partial

From our measurement of the prompt fission yield in coincidence with L X-rays, we are able to conclude that  $60 \pm 13$  % of the fissions are induced by the 2p-1s dipole mechanism. . The measured dose deposition curve had 22 cm relatively flat entrance region.

### **Annual report scientific activities, 1981**

Methods for modifying materials within target material are disclosed as well as are methods for characterizing material within a targetmore » material.

### **Pion multiplicity distribution in $pp \rightarrow n$ pions and branching ratios for hadronic charmed**

Легирование проводилось в середину барьерного слоя, с использованием метода  $\delta$ -легирования.

## Related Books

- [Modigliani scandal](#)
- [Stress and strain: basic concepts of continuum mechanics for geologists](#)
- [Library orientation - is hypertext the solution? - the ENLITEN project at Buckinghamshire College](#)
- [Gjumi i tokës - poezi e zgjedhur](#)
- [Morfologi bahasa Mandailing - laporan penelitian](#)