


Second new genus of hedgehog from the Pliocene of Nevada

Johnson Reprint - A second new genus of hedgehog from the Pliocene of Nevada (1929 edition)



Description: -

-

Paleontology -- Pliocene.

Paleontology -- Nevada.

Hedgehogs, Fossil. second new genus of hedgehog from the Pliocene of Nevada

-

University of California publications in geological sciences -- v. 18, no. 8.

University of California publications. Bulletin of the Department of Geological Sciences -- v. 18, no. 8. second new genus of hedgehog from the Pliocene of Nevada

Notes: Reprint of the 1929 ed. published by University of California Press, Berkeley.

This edition was published in 1966



Filesize: 65.14 MB

Tags: #Apeomyoides

A new species of Castanopsis (Fagaceae) from the upper Pliocene of West Yunnan, China and its biogeographical implications

Position and shape of the maxillo-frontal suture. The mean number of embryos and placental scars was 4.

Pliocene Amphibians and Reptiles from Clark County, Nevada.

Criteria for vertebrate subspecies, species and genera: the mammals. All BEAST analyses yielded a maximum clade credibility tree that is consistent with topology one and with Bayesian posterior probability support for the NWSL equid- Equus and Equus clades of 0. There were three extinct and one living species of crocodile, and one of them was larger than any now living.

A second new genus of hedgehog from the Pliocene of Nevada

The absorption of the pullic symphysis of the pocket gopher, *Geomys bursarius* Shaw.

Insectivora (Mammalia) from the Lower Miocene of the Aktau Mountains, South

A review of North American Tertiary snakes. *Pappogeomys castanops perexiguus* Russell, Univ.

Related Books

- [Porte](#)
- [Song xia dui yi](#)
- [English dancing master. - Now reprinted for the 1st time from the 1st ed. of 1650, with the tunes in](#)
- [Despidos colectivos en el ordenamiento interno y comunitario](#)
- [Media highlights - July 1, 2000-January 2001](#)