


# Development of process-based quality indicators for non-pharmacological care of knee and hip osteoarthritis

National Library of Canada - Quality indicators for care of osteoarthritis in primary care settings: a systematic literature review



Description: -

-Development of process-based quality indicators for non-pharmacological care of knee and hip osteoarthritis

- Canadian theses = -- Thèses canadiennes Development of process-based quality indicators for non-pharmacological care of knee and hip osteoarthritis

Notes: Thesis (M.Sc.) -- University of Toronto, 2003.

This edition was published in 2003



Filesize: 17.57 MB

Tags: #Development #of #healthcare #quality #indicators #for #rheumatoid #arthritis #in #Europe: #the #localize-ing.justmote.me #project

## Treatment Satisfaction after Switching to Another Therapy in Spanish Orthopaedic Clinic Outpatients with Knee or Hip Osteoarthritis Previously Refractory to Paracetamol

The Ministry of Health provides healthcare for people without social security and those living in rural areas. Their contribution to the education of sports people at all levels of participation and to the primary and secondary prevention of OA needs to be fostered.

## CKS is only available in the UK

Signs and symptoms OA symptoms vary and usually progress slowly. However, in the process of developing quality indicators, it is recommended to include the perspectives of all potential end users including patients, their family caregivers, health professionals and managers. Osteoarthritis is typically diagnosed on the basis of radiographic imaging and clinical findings.

## Quality of care for hip and knee osteoarthritis at family medicine clinics: lessons from Mexico

For THA, 14 pre-op, six acute and eight post-acute QIs were accepted.

## Are physiotherapists adhering to quality indicators for the management of knee osteoarthritis? An observational study

They were also asked to comment on wording clarity. Ruiz M, Campillo MA, Monfort J, et al. It can be applied for about 20 minutes and includes hot packs, paraffin baths, hydrotherapy, and radiant heat.

## Are physiotherapists adhering to quality indicators for the management of knee osteoarthritis? An observational study

Terwee CB, Bot SD, de Boer MR, van der Windt DA, Knol DL, Dekker J, Bouter LM, de Vet HC. Preference for nonsteroidal anti-inflammatory drugs over acetaminophen by rheumatic disease patients: a survey of 1,799 patients with osteoarthritis, rheumatoid arthritis, and

fibromyalgia. Included studies were appraised using the Appraisal of Indicators through Research and Evaluation AIRE instrument.

## **RACGP**

Biomechanical risk factors associated with OA, such as obesity, muscle weakness, joint injury, and malalignment, result in chemical changes within the joint, which thin and erode the cartilage and result in a narrowed joint space, osteophytes, or bone spurs at joint margins.

## **Quality indicators for care of osteoarthritis in primary care settings: a systematic literature review**

According to the Institute of Medicine IOM , the appropriate high-level leadership, organization or expertise, not the one that develops the measures, has to review and endorse measures of quality intended for population health improvement. The Western Ontario and McMaster Universities Osteoarthritis Index WOMAC : a review of its utility and measurement properties. Current Australian physiotherapy management of hip osteoarthritis.

---

## Related Books

- [Guiseppe Garibaldi e la tradizione Garibaldina - una bibliografia dal 1807 al 1970](#)
- [Siyāsat Miṣr fī al-Baḥr al-Aḥmar fī al-niṣf al-thānī min al-qarn al-tāsi‘ ‘ashar](#)
- [Meteorite Morasko and the region of its fall - materials of the seminar of Astronomical Observatory](#)
- [Egyptian hieroglyphics - an easy introduction for history and art students : a self-study manual bas](#)
- [Madhyavarṭi Bhārata kī ādivāsī lokakathāyem](#)