

Silking of sweet corn as a factor in corn earworm control

Ohio Agricultural Experiment Station - How to Control Corn Ear Worms: 12 Steps (with Pictures)



Description: -

-

Travel

Russia

Eastern Europe

Travel & holiday guides

Helicoverpa armigera

Corn -- Diseases and pests -- ControlSilking of sweet corn as a

factor in corn earworm control

-

Research circular (Ohio Agricultural Experiment Station) -- 48

Research circular / Ohio Agricultural Experiment Station -- 48Silking

of sweet corn as a factor in corn earworm control

Notes: Cover title

This edition was published in 1957



Filesize: 43.51 MB

Tags: #Insecticides #for #Earworms #in #Sweet #Corn

Insecticide Treatment Options for Corn Earworm in Field Corn

The seed of supersweet types may not germinate as well as normal or modified sugary types, particularly in cold soils. Earworm control in corn is a concern of both small and large scale gardeners.

Insect Pests of Sweet Corn

Control of Insects of Sweet Corn in the Home Vegetable Garden Consider cultural control methods for cutworms, seed-corn maggots and corn rootworms as outlined in the discussion of these pests. Once corn earworm larvae enter the ears, it's relatively easy to open the end of the ear and remove the worms with a pair of tweezers.

Corn Earworm Developing Resistance to Bt Toxins in Sweet Corn — Plant & Pest Advisory

Later in the season their presence is indicated by small, round holes at any location on the stalk.

Corn Earworm Management in Sweet Corn

Field corn plays a critical role in the seasonal history of this pest because this is where second generation of larvae, which infests corn ears, builds up population abundances. However, this will not completely prevent all damage from the pest, and spraying with pesticides is sometimes necessary. Staygold, Silvergent, and Golden Security are a few of the reliable resistant strains available.

Organic Corn Earworm Control

They are most noticeable when corn fails to germinate or produces weak seedlings due to the maggots feeding in the kernels. Varieties Sweet corn varieties are often classified by seed color and by maturity date. Congratulations to departmental alumna Dr.

Corn Earworm Developing Resistance to Bt Toxins in Sweet Corn — Plant & Pest Advisory

The adult fall armyworm is a moth about 1½ inches 3.

Related Books

- [Centenary year of birth.](#)
- [Cuba - the land, the people](#)
- [Nature, reality, and the sacred - the nexus of science and religion](#)
- [Türkiye’de Kentleşme yazıları](#)
- [Laporan lima tahun Universitas Terbuka, 1984-1989](#)