

Reinstatement of the turrid genus *Bellaspira* Conrad, 1868 (Mollusca: Gastropoda) with a review of the known species

Los Angeles County Museum of Natural History - Référentiel Campagnes

Description: -

-

Bereavement -- Religious aspects -- Christianity

Grief -- Religious aspects -- Christianity

Alvesta kommun (Sweden) -- Bibliography.

Canary Islands -- Imprints

Printers -- Canary Islands

Ninemile Creek (Missoula County, Mont.).

Groundwater -- Quality -- Montana -- Creeks.

Water quality biological assessment -- Montana -- Creeks.

Algae -- Montana -- Creeks.

English language -- Composition and exercises.

English language -- Grammar.

Mollusks -- Classification

Turridae, Fossil -- Classification

Turridae -- Classification

Reinstatement of the turrid genus *Bellaspira* Conrad, 1868 (Mollusca: Gastropoda) with a review of the known species

-

Figli in cielo -- 2

6

Smålands bibliografi,

no. 189

Los Angeles County Museum. Contributions in science, Reinstatement of the turrid genus *Bellaspira* Conrad, 1868 (Mollusca: Gastropoda) with a review of the known species


Notes: Includes bibliographical references.

This edition was published in 1970

Tags: #Full #text #of

Search Results

A revision of the recent species of the genera. The geographic and bathymetric distributions of the treated species are summarized.



Filesize: 7.104 MB

Research Publications

This formation together with the Porters Creek comprise the Midway group of the central and northern embayment area. The list of species reflects a high degree of endemism in the deep sea fauna from the southwest Pacific. *Alabamina wilcoxensis* and *Pulsiphonina prima* are common species.

Full text of the Natural History Museum

The nature of the loop is not known, but it is seen in cross-section in one specimen at about the midlength to be relatively close to the lateral margins of the shell.

Bellaspira clarionensis

Wilson and Clark 1914 reported collecting two gravid females in June from the Cumber- Vol.

Full text of the Natural History Museum

The color of the shell is white, stained with reddish brown. Indonesia and Western Australia , M. Despite these shortcomings several assertions as to the phylogenetic position of the Melanonidae have been made.

List of smaller malacological Works

R, Weathersfield Bend, 4 mi S of Ascutney, Vt. The small granules are close. In Steindachneriidae the ribs are on vertebrae 3 and 4 but the rib on the fourth has less than half the thickness of that on the third whereas in the above cited taxa the ribs are of equal thickness.

Référentiel Campagnes

Brachial interior plaster cast , X 1, shows prominent median septum; same specimen as fig. Supplementary Note on the Faecal Pellets from the Early Miyagian Kogota Formation, Kogota-Machi, Miyagi Prefecture, Northeast Honshu, Japan.

Bellaspira clarionensis

Fifteen species of Hydrobiidae have been documented from the Interior Highlands Table 4. On the genus Trachysalambria Burkenroad, 1934 Crustacea, Decapoda, Penaeidae , with descriptions of three new species.

Related Books

- [System For Measuring Vertical Pressure Profiles of Ocean Waves.](#)
- [Letter of Very Reverend General John Baptist Janssens, General of the Society of Jesus, to the whole](#)
- [History and hardware of microcomputers](#)
- [Child of nature - A dramatic piece, in four acts](#)
- [Official directory and general information pertaining to the Cathedral and St. Marys Church, London.](#)