

# Aspirin myocardial infraction study

U.S. Dept. of Health, Education, and Welfare, Public Health Service, National Institutes of Health, National Heart and Lung Institute - Effects of aspirin and trapidil on cardiovascular events after acute myocardial infarction. Japanese Antiplatelets Myocardial Infarction Study (JAMIS) Investigators

		Aspirin	
		No	Yes
Fatal M.I.	No	10827	10928
	Yes	18	5
Total		10845	10933

Description: -

-  
 United States. -- Navy -- Signaling  
 United States. -- Navy -- Communication systems  
 Sīstān va Balūchistān (Iran) -- Description and travel  
 Medicine -- Anecdotes, facetiae, satire, etc.  
 Syphilis.  
 Differentiated nursing practice -- United States -- Case studies.  
 Differentiated nursing practice.  
 Sioux Valley Hospital (Sioux Falls, S.D.) -- Case studies.  
 Heart -- Muscles -- Diseases  
 AspirinAspirin myocardial infraction study  
 -  
 DHEW publication ; no. (NIH) 76-972Aspirin myocardial infraction study  
 Notes: Cover title  
 This edition was published in 1976



Filesize: 11.34 MB

Tags: #Aspirin

## Physicians' Health Study

This study updates the public health literature on aspirin use among subpopulations that may benefit from aspirin.

## Aspirin Myocardial Infarction Study, 1975

Furthermore, the long-term use of trapidil resulted in a significant reduction in the incidence of cardiovascular events.

## An intervention study

McNamara Pacific Health Research Institute OverallOfficial: Dayton Miller U. A total of 11,037 physicians were randomized to aspirin and 11,034 to aspirin placebo; a total of 11,034 physicians were randomized to beta-carotene and 11,037 to beta-carotene placebo. This trial is based upon several previously published studies which suggest that aspirin may be valuable iprevention of coronary thrombosis.

## An intervention study

In addition, there was considerable evidence that platelet aggregation and platelet-induced thrombosis may play a role in several clinical events associated with coronary heart disease. Prevalence of aspirin use among respondents with risk factors was 44. The first of the Baalbek temples was constructed in the first century BC and over the next 200 years, the Romans built three more, each dedicated to the gods Jupiter, Bacchus, and Venus respectively.

## The aspirin myocardial infarction study: final results. The Aspirin Myocardial Infarction Study research group

Of the 59,285 who were willing to participate in the trial, 26,062 were told they could not because they reported a history of myocardial infarction, stroke, or transient ischemic attack; cancer except non-melanoma skin cancer ; current renal or liver disease; peptic ulcer; gout; or contraindication

to or current use of either aspirin or beta-carotene.

### **Aspirin in Myocardial Infarction Study**

ASPIRIN MYOCARDIAL INFARCTION STUDY, 1975-1979. It also happens to be one of the largest, most prestigious, and most built in the ancient Roman era. The construction of the Colosseum, the largest and most popular ancient Roman monument, began during the reign of Emperor Vespasian in 72 AD.

## Related Books

- [Wonhyong kwa pyonhyong](#)
- [Life in the wild](#)
- [Poems of Arthur Hugh Clough](#)
- [Bōsū chōngnyujang](#)
- [The Works Of Alphonse Daudet - Tartarin Of Tarascon To Which Is Added Tartarin On The Alps](#)